



16 Gleasondale Rd., Suite 1-1  
 Stow, Massachusetts 01775  
 Phone: (978) 461-2350  
 Fax: (978) 841-4102  
 www.foresite1.com



July 31, 2007

Acton Conservation Commission  
 Acton Town Hall  
 472 Main Street  
 Acton, Massachusetts 01720

**RE: Lot 3A Renwick Way – Proposed Minor Change to Approved Site Plan  
 DEP File No. 85-964**

Dear Commissioners,

On behalf of our client, Colonial Path, LLC, we respectfully request the Conservation Commission to accept the attached plan entitled “Sewage Disposal System Design Plan, Lot 3A, 45 Main Street, Acton Massachusetts” prepared by FORESITE Engineering Associates, Inc., last revised July 24, 2007, Scale 1”=20’, as a minor redline change to the plan approved under DEP File No. 85-964 entitled “Erosion Control Plan, Lot 3, 45 Main Street, Acton, Massachusetts” prepared by Landtech Consultants, Inc., dated February 7, 2007.

Our firm was hired to redesign the septic system utilizing DEP approved Innovative / Alternative Technologies (Presby Enviro-Septic, BioMicrobics Micro-FAST) for the purpose of mitigating the overall aesthetic and cost of construction at Lot 3A. The redesigned plan reduces the amount of fill in the buffer zone and eliminates two retaining walls required on the previous design. The location of the proposed erosion control barrier on the new plan is the same location as shown on the plan approved by the Commission under the Order of Conditions.

We look forward to discussing this in greater detail with the Commission at a regularly scheduled meeting.

Sincerely,

  
 FORESITE Engineering Associates, Inc.  
 BY: Scott P. Hayes, PE

cc: Colonial Path, LLC