




LOCUS
SCALE: 1" = 800'




CONSTRUCTION SEQUENCE

1. INSTALL EROSION CONTROL BARRIER AT LOCATIONS SHOWN ON PLAN. REQUEST CONSERVATION COMMISSION INSPECTION OF INSTALLED HAYBALES.
2. CLEAR AND STUMP WORK AREA.
3. CONSTRUCT SEWAGE DISPOSAL SYSTEM.
4. DEMOLISH AND REMOVE FROM SITE EXISTING DWELLING, GARAGE, SHED AND DRIVEWAY.
5. ABANDON EXISTING WELL IN ACCORDANCE WITH ACTON BOARD OF HEALTH REGULATIONS.
6. COMPLETE SITE GRADING IN AREA OF DEMOLITION AND LOAM AND SEED WITH PERENNIAL TURF GRASS ALL AREAS DISTURBED BY DEMOLITION ACTIVITIES.
7. CONSTRUCT PROPOSED DWELLING FOUNDATION.
8. MAKE ALL UTILITY CONNECTIONS TO PROPOSED DWELLING, BACKFILL FOUNDATION AND COMPLETE ROUGH SITE GRADING.
9. LOAM AND SEED ALL DISTURBED AREAS WITHIN THE BUFFER ZONE.
10. COMPLETE DWELLING CONSTRUCTION AND LANDSCAPING.
11. PAVE DRIVEWAY.
12. CONTACT THE CONSERVATION COMMISSION FOR FINAL AS-BUILT INSPECTION OF THE SITE.
13. PROJECT ENGINEER TO INSPECT COMPLETED SITE CONSTRUCTION AND PREPARE AND SUBMIT TO THE CONSERVATION COMMISSION ENGINEER'S CERTIFICATION LETTER, AND WPA: FORM 0A, REQUEST FOR CERTIFICATE OF COMPLIANCE.

GENERAL NOTES

1. NO WORK SHALL OCCUR WITHIN A WETLAND RESOURCE AREA.
2. NO SOIL STOCK PILES SHALL BE LOCATED WITHIN THE BUFFER ZONE WITHOUT BEING COVERED WITH A TARP OR CONTAINED WITHIN STAKED HAYBALES OR SILT FENCE.
3. NO CONSTRUCTION DEBRIS SHALL BE BURIED ON SITE.
4. THE LOCATION OF THE EROSION CONTROL BARRIER DESIGNATES THE LIMIT OF THE WORK AREA.
5. THE EROSION CONTROL BARRIERS SHALL BE INSPECTED AND MAINTAINED REGULARLY.
6. RESOURCE AREA BOUNDARIES SHOWN WERE DELINEATED BY BASBANE AND ASSOCIATES IN APRIL 2003 AND FIELD LOCATED BY DIVERSIFIED CIVIL ENGINEERING.



NOTICE OF INTENT PLAN

LOCATION: **LOT 2A**
RENWICK WAY
ACTON, MA 01720

PREPARED FOR: **COLONIAL PATH, LLC**
P.O. BOX 2170
ACTON, MASSACHUSETTS 01720

DATE: JULY 24, 2007 SCALE: 1 INCH = 20 FEET



DEEP OBSERVATION HOLE LOG

TEST HOLE: TH 402 DATE: 12/12/06 SOIL EVALUATOR: JOHN BOARDMAN, P.E. B.O.H. AGENT: BRENT REAGOR

SURFACE EL.: 217.0

DEPTH	HORIZON	TEXTURE	COLOR	MOTTLING	REMARKS
0-10"	A	SL	10YR3/2	NONE	
10-16"	Bw	L5	10YR5/6	NONE	
16-120"	C	SL	2.5Y5/4	>5% @ 50"	

DEPTH TO: BEDROCK: N/A
STANDING WATER: NONE
SEEPAGE: NONE
ESTIMATED SEASONAL HIGH GROUNDWATER: 32"

DEEP OBSERVATION HOLE LOG

TEST HOLE: TH 403 DATE: 12/12/06 SOIL EVALUATOR: JOHN BOARDMAN, P.E. B.O.H. AGENT: BRENT REAGOR

SURFACE EL.: 216.0

DEPTH	HORIZON	TEXTURE	COLOR	MOTTLING	REMARKS
0-12"	A	SL	10YR3/2	NONE	
12-24"	Bw	L5	10YR5/6	NONE	
24-144"	C	SL	2.5Y5/4	>5% @ 50"	

DEPTH TO: BEDROCK: N/A
STANDING WATER: NONE
SEEPAGE: NONE
ESTIMATED SEASONAL HIGH GROUNDWATER: 50"

PERCOLATION TEST

SOIL EVALUATOR: JOHN BOARDMAN, P.E. B.O.H. AGENT: BRENT REAGOR

DATE	DEPTH	RATE (MP1)
12/12/06	20"	5 MP1



LEGEND

- S.T. 1500 GALLON SEPTIC TANK
- P.C. 1000 GALLON PUMP CHAMBER
- D-BOX DISTRIBUTION BOX
- TP DEEP TEST HOLE
- P PERCOLATION TEST
- 90x3 SPOT ELEVATIONS
- W MUNICIPAL WATER SUPPLY
- 196 EXISTING CONTOURS
- 102 PROPOSED CONTOURS