

Date 5-1-87

Permit No. 87-26

TOWN OF ACTON

APPLICATION FOR PERMIT TO CONSTRUCT WITHIN A PUBLIC WAY

This application must be submitted not less than five (5) days prior to any Construction within a public way.

Notice 24 hours in advance of any construction must be given to the Town Engineer.

- 1. Permitted GARY R. PAQUIN, INC Address: 285 LITTLETON RD Suite One
- 1A. Telephone # 617-8025-8035 WESTFORD, MA 01885
- 2. Location of Proposed Construction: LOT 41 BADGER CIRCLE
- 3. Purpose of Construction: SINGLE FAMILY
- 4. Length of Cut: 12-15'
- 5. Width of Cut: 8-10'
- 6. Width of Existing Pavement: CUL DE SAC
- 7. Type of Existing Roadway Surface: ASPHALT Type of Curb: BERM
- 8. Type of Existing Sidewalk Surface: NA Type of Shoulder: GRASS
- 9. Date of Street Opening: From To
- 10. For Work Involving Excavations: Dig Safe Number

I, the undersigned, hereby declare that I have read and agree to the Town of Acton Specifications for Regulating Construction with Public Ways dated August 3, 1982. I have deposited the required bond with the Town of Acton, and I covenant and agree that the Town may deduct from this amount the cost of repairs to the road surface, curbs, shoulders, walls or other features within the right-of-way including replacing bounds if not completed by me to the satisfaction of the Town Engineer within the specified time.

Special Instructions:

Signature of Applicant: Gary R. Paquin

INSR 5-1-87 DR

NO BOUNDS
SHOULDER IS GRASS

INSR 7-1-88 DR/O.D.
DRIVE PAVED O.K.
SHOULDERS O.K.
NO BOUNDS



Permit Issued: Date 5-1-87 By: Dennis P. Ruiz

Application Denied: Date By:

Work Inspected and Approved: Date 7-1-88 By: Dennis P. Ruiz

SKETCH

SECTION A-A



NOTE: 1. FINAL PATCH DEPTH
 3" OIL TREATED ROADS
 4" BIT. CONC. ROADS
 2. SEE SPECIFICATIONS FOR
 FURTHER REQUIREMENTS

TOWN OF ACTON
 TRENCH DETAIL
 FEB. 1969 NO SCALE

Date: 4/30/87

FROM: Engineering Department

TO: Town Treasurer

SUBJECT: Bond-Permit to Construct Within a Public Way

Please hold the enclosed Bond in the form of:

Certified Check # 1007 Bank MIDDLESEX SAVINGS BANK

Pass Book # _____ Bank _____

Other (Specify) _____

in the amount of \$250.00 from (Applicant) GARY R. PAQUIN

as security for "Permit to Construct Within a Public Way" # 87-26

located at LOT 41 BADGER CIRCLE; for authority

see Section IV-A, Specifications for Regulating Construction Within

Public Ways. This bond is to be held until released in writing by

this department.

Signed: David Allen
Town Engineer

Date: 7/6/88

FROM: Engineering Department

TO: Town Treasurer

SUBJECT: Bond - Permit to Construct Within a Public Way

Please release the bond in the form of:

Certified Check # 1007 Bank MIDDLESEX SAVINGS BANK

Pass Book # _____ Bank _____

Other (Specify) _____


in the amount of \$250.00 to GARY A. PAQUIN

which is being held as security for "Permit to Construct Within

a Public Way" # 87-26, Located at LOT 41 BADGER CIR.

for authority see Section II - A specification for regulation of
construction within public ways.

Work proposed under this permit has been satisfactorily completed.


Signed: 

MAIL TO:

285 LITTLETON RD.

SUITE ONE

WESTFORD, MA 01886



MILLDAM

BADGER CIRCLE

INSP 5-1-87
DR. NO BIDS

S & M
(LOOSE)
SET

CHECK POINT

LOT 48
20426 S.F.

LOT 49
20426 S.F.

LOT 50
1429 S.F.

LOT 43
23000 S.F.

LOT 39
24906 S.F.

LOT 42
21000 S.F.

LOT 40
24000 S.F.

LOT 41
23000 S.F.

LOT 32
900 S.F.

LOT 31
20851 S.F.

MILL

RC

584.11

153.64

50.00

156.44

156.44

153.00

153.00

133.50

133.50

133.50

7-26 W

-27-26 W

0-27-26 W

153.64

156.44

24906 S.F.

24000 S.F.

23000 S.F.

900 S.F.

20851 S.F.

MILL

RC

584.11

153.64

50.00

156.44

24906 S.F.

24000 S.F.

23000 S.F.

900 S.F.

20851 S.F.

MILL

RC

584.11

153.64

50.00

156.44

24906 S.F.

24000 S.F.

23000 S.F.

900 S.F.

20851 S.F.

MILL

RC

584.11

153.64

50.00

156.44

24906 S.F.

24000 S.F.

23000 S.F.

900 S.F.

20851 S.F.

MILL

RC

584.11

153.64

50.00

156.44

24906 S.F.

24000 S.F.

23000 S.F.

900 S.F.

20851 S.F.

MILL

RC

584.11

153.64

50.00

156.44

24906 S.F.

24000 S.F.

23000 S.F.

900 S.F.

20851 S.F.

MILL

RC

584.11

153.64

50.00

156.44

24906 S.F.

24000 S.F.

23000 S.F.

900 S.F.

20851 S.F.

MILL

RC

584.11

153.64

50.00

156.44

24906 S.F.

24000 S.F.

23000 S.F.

900 S.F.

20851 S.F.

MILL

RC

584.11

153.64

50.00

156.44

24906 S.F.

24000 S.F.

23000 S.F.

900 S.F.

20851 S.F.

MILL

RC

584.11

153.64

50.00

156.44

24906 S.F.

24000 S.F.

23000 S.F.

900 S.F.

20851 S.F.

MILL

RC

584.11

153.64

50.00

156.44

24906 S.F.

24000 S.F.

23000 S.F.

900 S.F.

20851 S.F.

MILL

RC

584.11

153.64

50.00

156.44

24906 S.F.

24000 S.F.

23000 S.F.

900 S.F.

20851 S.F.

MILL

RC

584.11

153.64

50.00

156.44

24906 S.F.

24000 S.F.

23000 S.F.

900 S.F.

20851 S.F.

MILL

RC

584.11

153.64

50.00

156.44

24906 S.F.

24000 S.F.

23000 S.F.

900 S.F.

20851 S.F.

MILL

RC

584.11

153.64

50.00

156.44

24906 S.F.

24000 S.F.

23000 S.F.

900 S.F.

20851 S.F.

MILL

RC

584.11

153.64

50.00

156.44

24906 S.F.

24000 S.F.

23000 S.F.

900 S.F.

20851 S.F.

MILL

RC

584.11

153.64

50.00

156.44

24906 S.F.

24000 S.F.

23000 S.F.

900 S.F.

20851 S.F.

MILL

RC

584.11

153.64

50.00

156.44

24906 S.F.

24000 S.F.

23000 S.F.

900 S.F.

20851 S.F.

MILL

RC

584.11

153.64

50.00

156.44

24906 S.F.

24000 S.F.

23000 S.F.

900 S.F.

20851 S.F.

MILL

RC

584.11

153.64

50.00

156.44

24906 S.F.

24000 S.F.

23000 S.F.

900 S.F.

20851 S.F.

MILL

RC

584.11

153.64

50.00

156.44

24906 S.F.

24000 S.F.

23000 S.F.

900 S.F.

20851 S.F.

MILL

RC

584.11

153.64

50.00

156.44

24906 S.F.

24000 S.F.

23000 S.F.

900 S.F.

20851 S.F.

MILL

RC

584.11

153.64

50.00

156.44

24906 S.F.

24000 S.F.

23000 S.F.

900 S.F.

20851 S.F.

MILL

RC

584.11

153.64

50.00

156.44

24906 S.F.

24000 S.F.

23000 S.F.

900 S.F.

20851 S.F.

MILL

RC

584.11

153.64

50.00

156.44

24906 S.F.

24000 S.F.

23000 S.F.

900 S.F.

20851 S.F.

MILL

RC

584.11

153.64

50.00

156.44

24906 S.F.

24000 S.F.

23000 S.F.

900 S.F.

