


HAZARDOUS MATERIALS CONTROL PERMIT CERTIFICATION

I hereby certify on behalf of Colonial Chevrolet, the applicant for a permit or permit renewal from the Acton Board of Health pursuant to Chapter I of the Town of Acton General By-laws (the "Permit Application") that (a) the information contained in the Permit Application is true, accurate and complete, and (b) the facility located/operating at 171 GREAT ROAD, Acton, MA and that is the subject of the Permit Application complies with the requirements for Approval of Hazardous Material Waste and Special Waste Permits as defined in section 3.5 of Chapter I of the Town of Acton General By-laws, Hazardous Materials Control, as amended.


Authorized Signatory

5-2-2011
Date

Hazardous Material (Non-Waste) Inventory Information

Complete the table below for all non-waste inventory. Use additional pages if necessary.

Chemical/Common Name	Max. Qty (at any one time)	Container Size (single largest container)	Location(s) (see section C)
ATF Dextron III TRANS FLUID	300 gal. ____ lbs. ____ cu. ft.	550 gal. ____ lbs. ____ . ft.	PARTS DEPT
5W/30 ENGINE MOTOR oil	4000 gal. ____ lbs. ____ cu. ft.	4000 gal. ____ lbs. ____ cu. ft.	Service DEPT
Recycled Dex-cool pre mixed COOLANT	250 gal. ____ lbs. ____ cu. ft.	450 gal. ____ lbs. ____ cu. ft.	PARTS DEPT
Recycled Green pre mix COOLANT	55 gal. ____ lbs. ____ cu. ft.	55 gal. ____ lbs. ____ cu. ft.	Service DEPT
WASHER JOINT pre-mix	250 gal. ____ lbs. ____ cu. ft.	250 gal. ____ lbs. ____ cu. ft.	Service DEPT
BATTERIES + FLUID ACID	____ gal. ____ lbs. 35 cu. ft.	____ gal. ____ lbs. 1 cu. ft.	PARTS DEPT

Hazardous Waste Inventory Information

(Hazardous Waste Generator Permit Application/Amendment)

Complete the table below for all waste inventory. Use additional pages if needed.

Name of Hazardous Waste	Treatment/Disposal Method(s) (Definitions provided on bottom of page)	Max. Qty. (at any one time)	Annual Qty. Generated	Location(s) (see Section C)
ENGINE MOTOR oil - WASTE HEATER	<input type="checkbox"/> Recycled on-site. <input type="checkbox"/> Treated on-site. <input checked="" type="checkbox"/> Shipped off-site for recycling/ treatment /disposal	250 gal. ____ lbs. ____ cu. ft.	100 gal. ____ lbs. ____ cu. ft.	Service DEPT
RADIATOR COOLANT CONTAINER	<input checked="" type="checkbox"/> Recycled on-site. <input type="checkbox"/> Treated on-site. <input type="checkbox"/> Shipped off-site for recycling/treatment/disposal	100 gal. ____ lbs. ____ cu. ft.	50 gal. ____ lbs. ____ cu. ft.	PARTS DEPT
WASTE MOTOR oil	<input type="checkbox"/> Recycled on-site. <input type="checkbox"/> Treated on-site. <input checked="" type="checkbox"/> Shipped off-site for recycling/treatment/disposal	2000 gal. ____ lbs. ____ cu. ft.	4000 gal. ____ lbs. ____ cu. ft.	Service External under ground
LACQUER THINNER	<input checked="" type="checkbox"/> Recycled on-site. <input type="checkbox"/> Treated on-site. <input type="checkbox"/> Shipped off-site for recycling/treatment/disposal	35 gal. ____ lbs. ____ cu. ft.	10 gal. ____ lbs. ____ cu. ft.	Body shop PAINT ROOM
	<input type="checkbox"/> Recycled on-site. <input type="checkbox"/> Treated on-site. <input type="checkbox"/> Shipped off-site for recycling/treatment/disposal	____ gal. ____ lbs. ____ cu. ft.	____ gal. ____ lbs. ____ cu. ft.	

A. Hazardous Materials (non-waste) Inventory Information

Class	Chemical/Common Name	Max. Qty	Container Size
3	CASOLINE UNDERGROUND TANK	3,600 gal. ____ lbs. ____ cu. ft.	4,000 gal. ____ lbs. ____ . ft.
3	HOME HEATING OIL UNDERGROUND TANK	2,000 gal. ____ lbs. ____ cu. . ft.	2,000 gal. ____ lbs. ____ cu. . ft.
2.1	ACETYLENE TANKS	____ gal. ____ lbs. 325 cu. . ft.	____ gal. ____ lbs. 125 cu. . ft.
2.2	R134 FREON GAS TANKS	____ gal. 240 lbs. ____ cu. . ft.	____ gal. 30 lbs. ____ cu. . ft.
2.2	OXYGEN TANKS	____ gal. ____ lbs. 325 cu. . ft.	____ gal. ____ lbs. 125 cu. . ft.
2.2	ARGON TANKS	____ gal. ____ lbs. 520 cu. . ft.	____ gal. ____ lbs. 130 cu. . ft.

A. Hazardous Materials (non-waste) Inventory Information

Class	Chemical/Common Name	Max. Qty	Container Size
2.2	Helium TANK	____ gal. ____ lbs. 291 cu. . ft.	____ gal. ____ lbs. 291 . ft.
2.2	Nitrogen TANK	____ gal. ____ lbs. 230 cu. . ft.	____ gal. ____ lbs. 230 cu. . ft.
3	Automotive PRIMER - PAINT	2 gal. ____ lbs. ____ cu. . ft.	20 gal. ____ lbs. ____ cu. . ft.
3	Automotive PAINT	170 gal. ____ lbs. ____ cu. . ft.	170 gal. ____ lbs. ____ cu. . ft.
3	Automotive PAINT Reducer	10 gal. ____ lbs. ____ cu. . ft.	10 gal. ____ lbs. ____ cu. . ft.
		____ gal. ____ lbs. ____ cu. . ft.	____ gal. ____ lbs. ____ cu. . ft.

Facility Site Plan/Storage Map

Prepare and submit with this Registration Form a simple site map which shows the following information:

- North direction • Street(s) adjacent to facility • Electrical, water, and gas shutoff valves
- Basic floor plan for each building containing hazardous materials/wastes which indicates building entrance(s) and hazardous material/waste storage locations (use grid locations or assign a code - A, B, C, etc. - to clearly identify each storage location for use in the above inventories).

Site Address: 171 GREAT ROAD City: ACTON, MASS.

Date Map Drawn: 5-2-2011 - SEE ATTACHED COPY

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z
1																										
2																										
3																										
4																										
5																										
6																										
7																										
8																										
9																										
10																										
11																										
12																										
13																										
14																										
15																										
16																										
17																										
18																										
19																										
20																										
21																										
22																										
23																										
24																										
25																										
26																										
27																										
28																										

Endorsement

I declare that the above information is true and correct to the best of my knowledge. I agree to comply with all applicable regulations regarding storage, handling, and disposal of hazardous materials and hazardous wastes.

Lawrence Gordon
Owner/Operator's Name (Print)


[Signature]
Owner/Operator's Signature

5-2-2011
Date

----- Do Not Complete below This Line -----

EVACUATION Route

Evacuation Location



Legend

- | | |
|-------------------|----------------------------|
| Overhead Door | PP Power Panel |
| PW Parts Washer | Eye Wash |
| Used Antifreeze | RR Restroom |
| Waste Oil | * Gas Main |
| Fire Extinguisher | MO Motor Oil |
| Spill Equipment | WW Windshield Washer Fluid |
| First Aid | FP Fire Blanket |
| Pull Station | HW Hazardous Waste |
| Drain | Second Floor Above |
| Underground Tank | ES Emergency Shut Off |

COLONIAL CHEVROLET
 171 Great Road
 Acton, MA 01720
 978-263-4928



Attachent 1B

TOWN OF ACTON
HAZARDOUS MATERIALS CONTROL BYLAW

April 1, 2011
Colonial Chevrolet
171 Great Road
Acton, MA 01720

Due: \$295
Category: 2,4,9,12

RECEIVED
APR 11 2011
ACTON BOARD OF HEALTH

Site Address

171 Great Road Acton, MA 01720

HAZARDOUS MATERIALS CONTROL PERMIT RENEWAL APPLICATION

Categories

- | | |
|---|--|
| 1. Hazardous Waste Generator (\$65) | ② Sm. Hazardous Waste Generator (\$45) |
| 3. Hazardous Materials Generator (\$65) | ④ Hazardous Materials User (\$45) |
| 5. Discharge Permit (\$140) | 6. Remediation Permit (\$140) |
| 7. Hazardous Waste User (\$65) | 8. Haz. Mat. Storer Large Industry (\$235) |
| ⑨ Haz. Mat. Storer Small Industry (\$160) | 10. Haz. Mat. Storer Large Retail (\$170) |
| 11. Haz. Mat. Storer Small Retail (\$140) | ⑫ Haz. Waste Storer Sm. Industry (\$45) |
| 13. Haz. Waste Storer Retail (\$45) | 14. Haz. Waste Storer Lge. Industry (\$65) |

Provide the following information under the authority of the General Laws of the Commonwealth of Massachusetts, Chapter 94, Section 305A, and Chapter 3, Section 5.

ESTABLISHMENT NAME: Gordon Chevrolet DBA Colonial Chevrolet
ESTABLISHMENT ADDRESS: 171 GREAT ROAD, ACTON, MA; 01720
E-MAIL ADDRESS: service@colonialchevrolet.com
ESTABLISHMENT TELEPHONE: 978-263-1000
OWNERS/CORPORATE OFFICERS: Lawrence Gordon
ADDRESS: 1014 Lowell Road Concord, MA. 01742
TELEPHONE: 978-369-4453
ON-SITE MANAGER: FRANK Gordon

Maximum Potential Quantity of Materials: Gals/Lbs Stored 5,000 gal Used _____
Maximum Potential Quantity of Wastes: Gals/Lbs Stored 1,500 gal Used _____

Pursuant to the General Laws of Massachusetts, Chapter 62C, Section 49A, I certify under the pains and penalties of perjury that I, to the best of my knowledge and belief, have filed all state tax returns and paid all state taxes required under law.

X [Signature]
Signature of Owner/Applicant

043165739
F.I.N. Number

4-7-2011
Date

5/1/2011

Expires 5/1/12

Paid: \$295

**TOWN OF ACTON
PERMIT
HAZARDOUS MATERIALS CONTROL BYLAW
Colonial Chevrolet,
171 Great Road Acton, MA 01720**

Is hereby granted a permit to store and use Hazardous Materials at **171 Great Road** Acton, MA 01720. This permit is granted with the conditions as noted on the attached list of conditions assigned to your facility.

Permit Categories: **2,4,9,12**

*See below explanation of permit categories

HAZARDOUS MATERIALS CONTROL PERMIT CATEGORIES AND FEES

<u>Category</u>	<u>Initial</u>	<u>Renewal</u>
1. Large Hazardous Waste Generator	\$160	\$65
2. Small Hazardous Waste Generator	\$60	\$45
3. Hazardous Materials Generator	\$160	\$65
4. Hazardous Materials User	\$50	\$45
5. Remediation Discharge Permit	\$575	\$140
6. Remediation Permit	\$595	\$140
7. Hazardous Waste User	\$160	\$65
8. Hazardous Materials Storer Large Industry	\$510	\$235
9. Hazardous Materials Storer Small Industry	\$360	\$160
10. Hazardous Materials Storer Large Retail	\$430	\$140
11. Hazardous Materials Storer Small Retail	\$305	\$160
12. Hazardous Waste Storer Small Industry	\$160	\$65
13. Hazardous Waste Storer Retail	\$60	\$45
14. Hazardous Waste Storer Large Industry	\$160	\$65

HAZARDOUS MATERIALS CONTROL PERMIT

**List of Conditions:
Colonial Chevrolet
171 Great Road
Acton, MA 01720**

Pursuant to the authority of Chapter I - Hazardous Materials Control Bylaw - of the Town of Acton's General Bylaws, the Board of Health has considered your application and plans submitted therewith, and has determined that the materials to be stored, used or generated, are within the scope of said bylaw. The Board of Health hereby orders that the following conditions are necessary and all storage, use or generation must be performed in strict conformance herewith:

1. All liquid Hazardous Materials and Wastes shall be stored in a containment area capable of containing 110% of the largest volume stored in the containment area.
2. All Materials Safety Data Sheets (MSDSs) for the Hazardous Materials shall be maintained on site. MSDSs shall be reviewed with employees at the time of their employment and on an annual basis thereafter. MSDS must be made available to all employees upon request.
3. A Contingency Plan, including emergency contact numbers (Telephone numbers of owner, operator, etc.) and a sketch showing clearly all Hazardous Material and Waste locations shall be submitted and updated annually, to the Board of Health, Fire Department, Police Department, and Civil Defense.
4. Emergency procedures and local Emergency Response Telephone Numbers (Health, Fire, Police, D.E.P., Civil Defense, etc.) should a spill occur, shall be posted in clear view of all employees where Hazardous Materials or Wastes are used or stored.
5. All Hazardous Wastes must be disposed of by a Licensed, D.E.P. approved, hauler or be recycled on site.
7. All Hazardous Materials Containers shall be labeled and dated when filling first began.
8. Speedy Dry, or its equivalent, shall be kept in the storage area, in case of a Hazardous Materials or Wastes spill.
10. All floor drains shall be sealed or discharged into a closed system, with the waste disposed of by a D.E.P. approved Hazardous Waste Hauler.
11. Protective equipment, including chemical resistant gloves, eye goggles and (rubber) boots, in addition to soap and water, shall be made available to all employees, at all times, in any Hazardous Materials or Waste storage or use area.
12. No Hazardous Materials or Wastes shall be discharged into a sink or toilet.
14. A fire extinguisher, containing an appropriate fire extinguishing agent, shall be placed in the Hazardous Materials Storage area.
15. No food or drink shall be stored or consumed in any area where Hazardous Materials are stored or used.
17. A leak detector monitor and an over flow alarm shall be installed in the underground storage tank and the tank shall be tested annually for tightness with the results submitted to the Board of Health.

18. D.E.P. Generator Registration shall be provided annually upon renewal of the Hazardous Materials Storage Permit.
21. Gas cylinders shall not be rolled, even for short distances. They shall be moved by a suitable hand truck, in accordance with an OSHA standard that applies.
25. Prior to any new chemical or processes being used, the Board of Health shall be notified.
26. The operation of this facility shall be in compliance with all present and future regulations of E.P.A. and D.E.P. at all times. Nothing in this permit allows or requires non-compliance with all present and future applicable laws or regulations of the Federal or State Governments.