

**TOWN OF ACTON  
HAZARDOUS MATERIALS CONTROL BYLAW  
PERMIT RENEWAL APPLICATION**

April 10, 1998

The Doctor  
2 Eastern Road  
Acton, MA 01720

RECEIVED  
APR 24 1998  
ACTON BOARD OF HEALTH

**PAID**  
\$150  
~~2, 4, 9, 12~~

DATE DUE

APR 24 1998  
ACTON BOARD  
OF HEALTH

**RENEWAL FORM  
HAZARDOUS MATERIALS STORAGE APPLICATION  
CATEGORIES**

- |                                    |                                    |
|------------------------------------|------------------------------------|
| 1. Large Hazardous Waste Generator | 2. Small Hazardous Waste Generator |
| 3. Hazardous Materials Generator   | 4. Hazardous Materials User        |
| 5. Discharge Permit                | 6. Remediation Permit              |
| 7. Hazardous Waste User            | 8. Haz. Mat. Storer Large Industry |
| 9. Haz. Mat. Storer Small Industry | 10. Haz. Mat. Storer Large Retail  |
| 11. Haz. Mat. Storer Small Retail  | 12. Haz. Waste Storer Industry     |
| 13. Haz. Waste Storer Retail       |                                    |

Provide the following information under the authority of the General Laws of the Commonwealth of Massachusetts, Chapter 94, Section 305A, and Chapter 3, Section 5.

ESTABLISHMENT NAME: The Doctor Inc  
ESTABLISHMENT ADDRESS: 2 Eastern Road  
ESTABLISHMENT TELEPHONE: 978-263-2773  
OWNERS/CORPORATE OFFICERS: Paul R. Murphy Jr  
ADDRESS: 54 Edward Rd Townsend  
TELEPHONE: 978-597-5000  
ON-SITE MANAGER: Paul R Murphy Jr  
OPERATING SCHEDULE: \_\_\_\_\_

Pursuant to the General Laws of Massachusetts, Chapter 62C, Section 49A, I certify under the pains and penalties of perjury that I, to the best of my knowledge and belief, have filed all state tax returns and paid all state taxes required under law.

X Paul R Murphy Jr 042-953-972  
Signature of Owner/Applicant S.S.I or F.I.N. Number

X \_\_\_\_\_  
Date

NB4

**TOWN OF ACTON  
PERMIT  
HAZARDOUS MATERIALS CONTROL BYLAW  
ARTICLE 16  
1991 ANNUAL TOWN MEETING**

<b>FILE NO.:</b>	98-NB4-01	<b>LOCATION:</b>	2 Eastern Road
<b>APPLICANT:</b>	The Doctor	<b>DATE OF ISSUANCE:</b>	May 1, 1998
<b>MAILING ADDRESS:</b>	2 Eastern Road Acton, MA 01720	<b>APPLICATION FEE:</b>	\$150.00* PAID
		<b>EXPIRATION DATE:</b>	May 1, 1999

Pursuant to the authority of Chapter I - Hazardous Materials Control Bylaw - of the Town of Acton's General Bylaws, the Board of Health has considered your application and plans submitted therewith, and has determined that the materials to be stored, used or generated, are within the scope of said bylaw. The Board of Health hereby orders that the following conditions are necessary and all storage, use or generation must be performed in strict conformance herewith:

**HAZARDOUS MATERIALS CONDITIONS**

1. All Hazardous Materials and Wastes shall be stored in a containment area capable of containing 110% of the largest volume stored in the containment area.
2. All Materials Safety Data Sheets (MSDSs) for the Hazardous Materials shall be maintained on site. MSDSs shall be reviewed with employees at the time of their employment and on an annual basis thereafter. MSDS must be made available to all employees upon request.
3. A Contingency Plan, including emergency contact numbers (Telephone numbers of owner, operator, etc.) and a sketch showing clearly all Hazardous Material and Waste locations shall be submitted and updated annually, to the Board of Health, Fire Department, Police Department, and Civil Defense.
4. Emergency procedures and local Emergency Response Telephone Numbers (Health, Fire, Police, D.E.P., Civil Defense, etc.) should a spill occur, shall be posted in clear view of all employees where Hazardous Materials or Wastes are used or stored.
5. All Hazardous Wastes must be disposed of by a Licensed, D.E.P. approved, hauler or be recycled on site.
6. Copies of either all invoices or manifests for any Hazardous Materials or Wastes, received or disposed, shall be submitted to the Board of Health annually.
7. All Hazardous Materials Containers shall be labeled and dated when filling first began.
8. Speedy Dry, or its equivalent, shall be kept in the storage area, in case of a Hazardous Materials or Wastes spill.
10. All floor drains shall be sealed or discharged into a closed system, with the waste disposed of by a D.E.P. approved Hazardous Waste Hauler.
11. Protective equipment, including chemical resistant gloves, eye goggles and (rubber) boots, in addition to soap and water, shall be made available to all employees, at all times, in any Hazardous Materials or Waste storage or use area.

12. No Hazardous Materials or Wastes shall be discharged into a sink or toilet.
14. A fire extinguisher, containing an appropriate fire extinguishing agent, shall be placed in the Hazardous Materials Storage area.
15. No food or drink shall be stored or consumed in any area where Hazardous Materials are stored or used.
17. A leak detector monitor and an over flow alarm shall be installed in the underground storage tank and the tank shall be tested annually for tightness with the results submitted to the Board of Health.
21. Gas cylinders shall not be rolled, even for short distances. They shall be moved by a suitable hand truck, in accordance with the permit holder's Gas Cylinder Handling Policy.
25. Prior to any new chemical or processes being used, the Board of Health shall be notified.
26. The operation of this facility shall be in compliance with all present and future regulations of E.P.A. and D.E.P. at all times. Nothing in this permit allows or requires non-compliance with all present and future applicable laws or regulations of the Federal or State Governments.

*	(2)	Small Haz. Waste Gen.	\$20
	(4)	Haz. Mat. User	\$20
	(9)	Haz. Mat. Storer Small Ind.	\$90
	(12)	Haz. Waste Storer Ind.	\$20