

NUMBER: 94-05

FEE: 20

***THE COMMONWEALTH OF MASSACHUSETTS*
*TOWN OF ACTON - BOARD OF HEALTH***

Hereby Certifies that THE DOCTOR, INC.

of 2 EASTERN RD ACTON,, MA 01720

IS HEREBY GRANTED A LICENSE

For **HAZ MAT USER RENEWAL**


APPROVED

MAR 24 1994

ACTON BOARD OF HEALTH

This license is granted in conformity with the statutes and ordinances relating thereto and expires 05/01/1995 unless sooner suspended or revoked.

FOR THE BOARD OF HEALTH


Doug Halley, Health Director

ISSUED: 03/23/1994

NUMBER: 94-05

FEE: 20 .

***THE COMMONWEALTH OF MASSACHUSETTS*
*TOWN OF ACTON - BOARD OF HEALTH***

Hereby Certifies that THE DOCTOR, INC.

of 2 EASTERN RD ACTON,, MA 01720

IS HEREBY GRANTED A LICENSE

For **SMALL HAZ GEN RENEWAL**


APPROVED

MAR 24 1994

ACTON BOARD OF HEALTH

This license is granted in conformity with the statutes and ordinances relating thereto and expires 05/01/1995 unless sooner suspended or revoked.

FOR THE BOARD OF HEALTH


Doug Halley, Health Director

ISSUED: 03/23/1994

NUMBER: 94-04

FEE: 90

***THE COMMONWEALTH OF MASSACHUSETTS*
*TOWN OF ACTON - BOARD OF HEALTH***

Hereby Certifies that THE DOCTOR, INC.

of 2 EASTERN ROAD ACTON,, MA 01720


IS HEREBY GRANTED A LICENSE

For **HAZ MAT ST IND SM RENEW**

This license is granted in conformity with the statutes and ordinances relating thereto and expires 05/01/1995 unless sooner suspended or revoked.

**APPROVED
MAR 24 1994
ACTON BOARD OF HEALTH**

FOR THE BOARD OF HEALTH


Doug Halley, Health Director

ISSUED: 03/23/1994

NUMBER: 94-04

FEE: 20

***THE COMMONWEALTH OF MASSACHUSETTS*
*TOWN OF ACTON - BOARD OF HEALTH***

Hereby Certifies that THE DOCTOR, INC.

of 2 EASTERN RD ACTON,, MA 01720


IS HEREBY GRANTED A LICENSE

For **HAZ WST ST IND SMLL RENEW**

This license is granted in conformity with the statutes and ordinances relating thereto and expires 05/01/1995 unless sooner suspended or revoked.

**APPROVED
MAR 24 1994
ACTON BOARD OF HEALTH**

FOR THE BOARD OF HEALTH


Doug Halley, Health Director

ISSUED: 03/23/1994

TOWN OF ACTON
HAZARDOUS MATERIAL CONTROL
INSPECTION

RECEIVED
MAY 23 1994
ACTON BOARD OF HEALTH

Date of Inspection: 5/23/94

Inspector(s): F. M. CHILDS

I. GENERAL INSPECTION:

Facility: THE DOCTOR, INC

Phone: 263-2773
~~263-3726~~

Location: 2 EASTERN ROAD

Contact Name: PAUL R. MURPHY SR

DEP/EPA Classification: HAZ. MAT STORAGE SMALL - GENERATOR - USER

9, 2, 4
12

Type of Business: FOREIGN CAR REPAIR
VOLVO - SAAB - TOYOTA - BMW ETC

II. INSPECTION OF PREMISES:

A. Housekeeping

1) Is this place clean? Any spills? Storage of Hazardous Materials orderly?
VERY CLEAN - NO SPILLS - STORAGE IS ORDERLY

2) What about condition of container(s)?
STANDARD OIL + ANTI FREEZE
ONLY KEEP 55 GAL DRUM AT ONE TIME

3) Are incompatible materials stored separately? (if applicable)
YES

4) Are materials used to clean-up spills readily available?
YES - CORN COB ABSORBER THAT IS RECYCLED SUPPLIED BY SAFETY CLEAN

5) Are MSDS Sheets readily available?
JUST FOR OIL

6) Invoices for hazardous materials received or disposed should be on file at site.
YES

7) What type of Best Management Practice has the facility implemented (drip pans, spill prevention and cleanup, recycling where possible)?
DRIP PAN - TRANSFER TO DRUM

8) Is protective equipment made available to all employees (i.e. gloves, aprons, boots, etc.) if necessary?
WASH TANK COMES WITH GLOVES
PARTS CLEANER - SOLVENT - REMOVED BY SAFETY CLEAN

B. Storage

1) Does storage correspond to site plan and application?

2) Are containers covered? YES NO

Are containers on an impervious surface? YES NO

Are materials in product tight containers? YES NO

Are wastes stored separately from materials? YES NO

Are outdoor storage areas bermed? NO OUTSIDE STORAGE YES NO

Are routes to environment isolated from THIS IS A REPAIR GARAGE YES NO

Are containers labeled? (identified, dated) YES NO

3) What types of materials stored at facility? OIL, ANTI FREEZE, PARTS WASHING ~~SOLVENT~~

4) What type of waste generated by facility? DIRTY OIL, ANTI FREEZE PARTS SOLVENT

5) Quantity stored at time of inspection? OIL ANTI SOLVENT
1-55, 1-50, - 1-5 Gal

6) Any underground tanks? If so, what type? Have they been tested for tightness? YES - EMERGENCY SPILL

7) Are emergency procedures posted in full view of all employees? YES

8) Are underground tanks alarmed to prevent overflow? YES

C. General

- 1) How are hazardous materials disposed? Who is the licensed hazardous waste disposer?
BY SAFETY CLEAN
- 2) Any floor drains in hazardous material storage or handling areas?
1 - THAT FLOWS INT EMERG. UG TANK STORAGE
- 3) Any sinks in hazardous materials storage or handling areas?
NO - ONLY IN BATH ROOMS
- 4) Has a site plan been submitted showing the location of all containers, tanks, drains and piping of the property?
YES
- 5) Are employees trained in handling of hazardous materials?
YES
- 6) Is testing of septic system effluent necessary?
TESTED BY SEPTIC TANK PUMPER

D. Final Comments

- 1) What issues of non-compliance need to be addressed by the facility?

NONE

- 2) General Comments:

THIS COMPANY COMPLIES AND DILIGENTLY
TRIES TO AVOID SPILLS BECAUSE THEY KNOW
THEY ARE LOCATED OVER AQUIFER

Frederick M. Childs
Inspector/Agent Signature

5/23/94
Date

Paul R. [Signature]
Owner/Operator Signature

5/23/94
Date



OFFICE OF THE
BOARD OF HEALTH

TOWN HALL, 472 MAIN STREET
ACTON, MASSACHUSETTS 01720
TEL: 264-9634

pd.
3/20/94

The Doctor
2 Eastern Road
Acton, MA 01720

94-NB4-01
\$150.00

RENEWAL FORM

HAZARDOUS MATERIALS STORAGE APPLICATION

Permit Category

- | | |
|--------------------------------------|--------------------------------------|
| 1. Large Hazardous Waste Generator | 2. Small Hazardous Waste Generator ✓ |
| 3. Hazardous Materials Generator | 4. Hazardous Materials User ✓ |
| 5. Discharge Permit | 6. Remediation Permit |
| 7. Hazardous Waste User | 8. Haz. Mat. Storer Large Industry |
| 9. Haz. Mat. Storer Small Industry ✓ | 10. Haz. Mat. Storer Large Retail |
| 11. Haz. Mat. Storer Small Retail | 12. Haz. Waste Storer Industry ✓ |
| 13. Haz. Waste Storer Retail | |

Provide the following information under the authority of the General Laws of the Commonwealth of Massachusetts, Chapter 94, Section 305A, and Chapter 3, Section 5.

ESTABLISHMENT NAME: THE DOCTOR, INC.

ESTABLISHMENT ADDRESS: 2 EASTERN RD - ACTON MASS 01720

ESTABLISHMENT TELEPHONE: 508-263-2773

OWNERS/ CORPORATE OFFICERS: PAUL R MURPHY SR

ADDRESS: 22 TODD DR. TOWNSEND MASS 01469

TELEPHONE: 508-597-2732

ON-SITE MANAGER: ..SAME.

OPERATING SCHEDULE: _____

Pursuant to the General Laws of Massachusetts, Chapter 62C, Section 49A, I certify under the pains and penalties of perjury that I, to the best of my knowledge and belief, have filed all state tax returns and paid all state taxes required under law.

Paul R Murphy Sr.
Signature of Owner/ Applicant

04-2953972
S.S.I or F.I.N. Number

3/18/94
Date