



**Town of Acton**  
**Department of Public Health**  
 472 Main Street, Acton, MA 01720  
 Phone: (978) 929-6632 Fax: (978) 929-6340  
 www.acton-ma.gov

**ANNUAL INSPECTION HAZARDOUS MATERIALS PERMIT HOLDER**

Facility Name: Linde Gas Date 8/5/2014  
 Address: 37 Lawsbrook Road  
 Type of Business: Helium Distributor  
 Telephone: 978-263-3918 Email: Rick.leva@linde.com  
 Contact Person: Rick Leva Initial Inspection  Re-Inspection

Housekeeping:	Y	N	Comments
Area clean	✓		
Spills present		✓	
Appropriate material storage	✓		
Materials and wastes separate	✓		No waste
Cleanup materials available	✓		Please provide clean up materials at flammable
Materials have secondary containment	✓		cabinets
Materials and wastes are labeled	✓		
Safety:			
Are MSDS sheets available on site	✓		
Employee personal protective equipment on site	✓		
Employees trained in Haz Mat handling	✓		
Emergency procedures posted	✓		
Site Management:			
Waste removed by licensed hauler		✓	No waste
Floor drains present in area of Haz Mat or waste		✓	
Sinks present in area of Haz Mat or waste		✓	
Testing of septic system necessary		✓	
Does site plan on file reflect current arrangement	✓		Please update floor plan when construction finished
Any UST (underground storage tank) present		✓	
If UST present, is it alarmed		✓	

- Action Items:
1. Spill kit → OK
  2. Floor plan site layout → Next year
  3. \_\_\_\_\_
  4. \_\_\_\_\_
  5. \_\_\_\_\_
  6. \_\_\_\_\_

Re-inspection required? Yes  No

Re-inspection Date: Via email within 2 weeks

[Signature]  
 Inspector Signature                      Date

[Signature]  
 Facility Representative Signature                      Date

D.H  
8/17/14

5/1/2014

Expires 5/1/2015

Fee: **280.00**

**TOWN OF ACTON  
PERMIT  
HAZARDOUS MATERIALS CONTROL BYLAW**

Is hereby granted a permit to store and use Hazardous Materials at **Linde, LLC, 37 Lawsbrook Road**, Acton, MA 01720. This permit is granted with the conditions as noted on the attached list of conditions assigned to your facility.

Permit Categories: **4,8**

\*See below explanation of permit categories

**HAZARDOUS MATERIALS CONTROL PERMIT CATEGORIES AND FEES**

<u>Category</u>	<u>Initial</u>	<u>Renewal</u>
1. Large Hazardous Waste Generator	\$160	\$65
2. Small Hazardous Waste Generator	\$60	\$45
3. Hazardous Materials Generator	\$160	\$65
4. Hazardous Materials User	\$50	\$45
5. Remediation Discharge Permit	\$575	\$140
6. Remediation Permit	\$595	\$140
7. Hazardous Waste User	\$160	\$65
8. Hazardous Materials Storer Large Industry	\$510	\$235
9. Hazardous Materials Storer Small Industry	\$360	\$160
10. Hazardous Materials Storer Large Retail	\$430	\$170
11. Hazardous Materials Storer Small Retail	\$305	\$160
12. Hazardous Waste Storer Small Industry	\$160	\$65
13. Hazardous Waste Storer Retail	\$60	\$45
14. Hazardous Waste Storer Large Industry	\$160	\$65

## **HAZARDOUS MATERIALS CONTROL PERMIT**

### **List of Conditions:**

**Linde LLC.  
37 Lawsbrook Road  
Acton, MA 01720**

---

Pursuant to the authority of Chapter I - Hazardous Materials Control Bylaw - of the Town of Acton's General Bylaws, the Board of Health has considered your application and plans submitted therewith, and has determined that the materials to be stored, used or generated, are within the scope of said bylaw. The Board of Health hereby orders that the following conditions are necessary and all storage, use or generation must be performed in strict conformance herewith:

---

1. All liquid Hazardous Materials and Wastes shall be stored in a containment area capable of containing 110% of the largest volume stored in the containment area.
2. All Materials Safety Data Sheets (MSDSs) for the Hazardous Materials shall be maintained on site. MSDSs shall be reviewed with employees at the time of their employment and on an annual basis thereafter. MSDS must be made available to all employees upon request.
3. A Contingency Plan, including emergency contact numbers (Telephone numbers of owner, operator, etc.) and a sketch showing clearly all Hazardous Material and Waste locations shall be submitted and updated annually, to the Board of Health, Fire Department, Police Department, and Civil Defense.
4. Emergency procedures and local Emergency Response Telephone Numbers (Health, Fire, Police, D.E.P., Civil Defense, etc.) should a spill occur, shall be posted in clear view of all employees where Hazardous Materials or Wastes are used or stored.
5. All Hazardous Wastes must be disposed of by a Licensed, D.E.P. approved, hauler or be recycled on site.
6. Copies of either all invoices or manifests for any Hazardous Materials or Wastes, received or disposed, shall be submitted to the Board of Health annually.
7. All Hazardous Materials Containers shall be labeled and dated when filling first began.
8. Speedy Dry, or its equivalent, shall be kept in the storage area, in case of a Hazardous Materials or Wastes spill.
9. Floor cleaning procedures and bathroom sanitation products shall use only nontoxic and biodegradable cleaning compounds.
10. All floor drains shall be sealed or discharged into a closed system, with the waste disposed of by a D.E.P. approved Hazardous Waste Hauler.
11. Protective equipment, including chemical resistant gloves, eye goggles and (rubber) boots, in addition to soap and water, shall be made available to all employees, at all times, in any Hazardous Materials or Waste storage or use area.

13. A safety eye wash station shall be installed where any Hazardous Materials or Wastes are handled or used.
15. No food or drink shall be stored or consumed in any area where Hazardous Materials are stored or used.
18. D.E.P. Generator Registration shall be provided annually upon renewal of the Hazardous Materials Storage Permit.
25. Prior to any new chemical or processes being used, the Board of Health shall be notified.
26. The operation of this facility shall be in compliance with all present and future regulations of E.P.A. and D.E.P. at all times. Nothing in this permit allows or requires non-compliance with all present and future applicable laws or regulations of the Federal or State Governments.