

Tier Two  
Emergency and Hazardous Chemical Inventory  
Specific Information by Chemical

Reporting Period: January 1 to December 31, 2012

Page 1

Printed: February 25, 2013

Facility Name: Haartz Corp.

\*\*\*\*\*  
\*\*\*\*\*  
FACILITY IDENTIFICATION:

Haartz Corp.  
Dept: Hayward Rd.  
87 Hayward Rd.  
Acton, MA 01720-3000 USA  
County: Middlesex  
Number of employees: 290  
Latitude: 42.482  
Longitude: -71.455  
Method: I1 - Interpolation (Map)  
Description: CE - Center of Facility

IDENTIFICATION NUMBERS:

Dun & Bradstreet: 001023084  
NAICS: 33636 (Motor Vehicle Fabric Accessories and Seat Manufacturing)  
NAICS: 336399 (All Other Motor Vehicle Parts Manufacturing)  
SIC: 2295 (COATED FABRICS, NOT RUBBERIZED)

CONTACT INFORMATION:

Haartz, Eric  
Title: CEO Contact Type 1: Owner / Operator  
Address: 87 Hayward Rd., Acton, MA, 01720-3000 USA  
Phones: 24-hour: 978-264-2600

Hatfield, Richard  
Title: Director of Environmental Affairs Contact Type 1: Emergency Contact  
Address: 87 Hayward Rd., Acton, MA, 01720-3000 USA  
Phones: 24-hour: 978-264-2600 Mobile - Cell: 978-793-0952  
Email: dhatfiel@haartz.com

Sieber, Douglas  
Title: VP-Operations Contact Type 1: Emergency Contact  
Address: 87 Hayward Rd., Acton, MA, 01720-3000 USA  
Phones: 24-hour: 978-264-2600 Mobile - Cell: 978-394-1800

Northeast Battery,  
Contact Type 1: Other  
Address: 449 West Fountain St., Providence, RI, 02903 USA  
Phones: 24-hour: 800-441-8824 Work: 401-861-2877

CHEMICAL DESCRIPTIONS:

[ ] All chemicals in inventory are identical to last year's submission

CHEM NAME: ANTIMONY OXIDE  
CAS: 1309-64-4

Tier Two  
Emergency and Hazardous Chemical Inventory  
Specific Information by Chemical

Reporting Period: January 1 to December 31, 2012

Page 2

Printed: February 25, 2013

Facility Name: Haartz Corp.

- Identical to previous year  
 TRADE SECRET  
 Pure  Mix  Solid  Liquid  Gas  EHS

CHEMICAL COMPONENTS:

- EHS, CAS: 1309-64-4, Component: Antimony Trioxide, 99.3% Wt  
 EHS, CAS: 7440-38-2, Component: Arsenic (maximum 0.3%), 0.3% Wt  
 EHS, CAS: 7439-92-1, Component: Lead (maximum 0.2%), 0.2% Wt

PHYSICAL & HEALTH HAZARDS:

- Fire  Sudden Release of Pressure  Reactivity  Immediate (acute)  Delayed (chronic)

INVENTORY:

Max Daily Amt code: 04 (10,000 - 99,999 pounds)  
Avg Daily Amt code: 04 (10,000 - 99,999 pounds)  
Max quantity in largest container: 2205 pounds  
No. of days on-site: 365

STORAGE CODES & STORAGE LOCATIONS:

Container Type: R	Pressure: 1	Temp: 4	Location: Building 1A	Amount: pounds
Container Type: R	Pressure: 1	Temp: 4	Location: Building 10	Amount: pounds
Container Type: R	Pressure: 1	Temp: 4	Location: Building 14	Amount: pounds

CHEMICALS IN INVENTORY STATE FIELDS:

Massachusetts requests the following:

Mode of Shipment:

- Trucks  Tank Trucks  Rail Car  Tank Car  Pipeline  Barge  Other (Specify)

Specify other: N/A

Frequency of Shipment: 0 per N/A

Maximum capacity per single vessel: 0

Max Shipment Qty (lbs): 0

Ave Qty (lbs): 0

Physical State in Transit: N/A

Comments (please provide both the preplanned and usual routes of travel): N/A

Carrier: 0

CHEM NAME: Butyl Rubber

CAS:

- Identical to previous year  
 TRADE SECRET  
 Pure  Mix  Solid  Liquid  Gas  EHS

CHEMICAL COMPONENTS:

- EHS, CAS: , Component: Contains Zinc (0-5%), %

PHYSICAL & HEALTH HAZARDS:

- Fire  Sudden Release of Pressure  Reactivity  Immediate (acute)  Delayed (chronic)

INVENTORY:

Max Daily Amt code: 04 (10,000 - 99,999 pounds)  
Avg Daily Amt code: 04 (10,000 - 99,999 pounds)  
Max quantity in largest container: 696 pounds  
No. of days on-site: 365

STORAGE CODES & STORAGE LOCATIONS:

Container Type: R	Pressure: 1	Temp: 4	Location: Bldg 1A	Amount: pounds
Container Type: R	Pressure: 1	Temp: 4	Location: Bldg 10	Amount: pounds

CHEMICALS IN INVENTORY STATE FIELDS:

Massachusetts requests the following:

Mode of Shipment:

- Trucks  Tank Trucks  Rail Car  Tank Car  Pipeline  Barge  Other (Specify)

Tier Two  
Emergency and Hazardous Chemical Inventory  
Specific Information by Chemical

Reporting Period: January 1 to December 31, 2012  
Page 3  
Printed: February 25, 2013

Facility Name: Haartz Corp.

Specify other: N/A  
Frequency of Shipment: 0 per N/A  
Maximum capacity per single vessel: 0  
Max Shipment Qty (lbs): 0  
Ave Qty (lbs): 0  
Physical State in Transit: N/A  
Comments (please provide both the preplanned and usual routes of travel): N/A  
Carrier: 0

CHEM NAME: CALCIUM CARBONATE

CAS: 1317-65-3

Identical to previous year  
 TRADE SECRET  
 Pure  Mix  Solid  Liquid  Gas  EHS

PHYSICAL & HEALTH HAZARDS:

Fire  Sudden Release of Pressure  Reactivity  Immediate (acute)  Delayed (chronic)

INVENTORY:

Max Daily Amt code: 05 (100,000 - 999,999 pounds)  
Avg Daily Amt code: 05 (100,000 - 999,999 pounds)  
No. of days on-site: 365

STORAGE CODES & STORAGE LOCATIONS:

Container Type: H Pressure: 1 Temp: 4 Location: Silos Amount: pounds  
Container Type: O Pressure: 1 Temp: 4 Location: Building 5 Amount: pounds

CHEMICALS IN INVENTORY STATE FIELDS:

Massachusetts requests the following:

Mode of Shipment:

Trucks  Tank Trucks  Rail Car  Tank Car  Pipeline  Barge  Other (Specify)

Specify other: N/A

Frequency of Shipment: 0 per N/A  
Maximum capacity per single vessel: 0  
Max Shipment Qty (lbs): 0  
Ave Qty (lbs): 0

Physical State in Transit: N/A

Comments (please provide both the preplanned and usual routes of travel): N/A  
Carrier: 0

CHEM NAME: DIDP Plasticizer

CAS: 68515-49-1

Identical to previous year  
 TRADE SECRET  
 Pure  Mix  Solid  Liquid  Gas  EHS

PHYSICAL & HEALTH HAZARDS:

Fire  Sudden Release of Pressure  Reactivity  Immediate (acute)  Delayed (chronic)

INVENTORY:

Max Daily Amt code: 05 (100,000 - 999,999 pounds)  
Avg Daily Amt code: 04 (10,000 - 99,999 pounds)  
No. of days on-site: 365

STORAGE CODES & STORAGE LOCATIONS:

Container Type: A Pressure: 1 Temp: 4 Location: Bldg. 10 Amount: pounds

CHEMICALS IN INVENTORY STATE FIELDS:

Tier Two  
Emergency and Hazardous Chemical Inventory  
Specific Information by Chemical

Reporting Period: January 1 to December 31, 2012

Page 4

Printed: February 25, 2013

Facility Name: Haartz Corp.

Mode of Shipment:

Trucks  Tank Trucks  Rail Car  Tank Car  Pipeline  Barge  Other (Specify)

Specify other: N/A

Frequency of Shipment: 0 per N/A

Maximum capacity per single vessel: 0

Max Shipment Qty (lbs): 0

Ave Qty (lbs): 0

Physical State in Transit: N/A

Comments (please provide both the preplanned and usual routes of travel): N/A

Carrier: 0

CHEM NAME: DPHP Plasticizer

CAS: 53306-54-0

Identical to previous year

TRADE SECRET

Pure  Mix  Solid  Liquid  Gas  EHS

PHYSICAL & HEALTH HAZARDS:

Fire  Sudden Release of Pressure  Reactivity  Immediate (acute)  Delayed (chronic)

INVENTORY:

Max Daily Amt code: 05 (100,000 - 999,999 pounds)

Avg Daily Amt code: 04 (10,000 - 99,999 pounds)

No. of days on-site: 365

STORAGE CODES & STORAGE LOCATIONS:

Container Type: A Pressure: 1 Temp: 4 Location: Bldg. 10 Amount: pounds

CHEMICALS IN INVENTORY STATE FIELDS:

Massachusetts requests the following:

Mode of Shipment:

Trucks  Tank Trucks  Rail Car  Tank Car  Pipeline  Barge  Other (Specify)

Specify other: N/A

Frequency of Shipment: 0 per N/A

Maximum capacity per single vessel: 0

Max Shipment Qty (lbs): 0

Ave Qty (lbs): 0

Physical State in Transit: N/A

Comments (please provide both the preplanned and usual routes of travel): N/A

Carrier: 0

CHEM NAME: Engage Polyolefin Elastomers

CAS: 25087-34-7

Identical to previous year

TRADE SECRET

Pure  Mix  Solid  Liquid  Gas  EHS

CHEMICAL COMPONENTS:

EHS, CAS: 25087-34-7, Component: 1-butene polymer with ethene, %

EHS, CAS: 26221-73-8, Component: Ethene-1-octene copolymer, %

PHYSICAL & HEALTH HAZARDS:

Fire  Sudden Release of Pressure  Reactivity  Immediate (acute)  Delayed (chronic)

INVENTORY:

Max Daily Amt code: 04 (10,000 - 99,999 pounds)

Avg Daily Amt code: 04 (10,000 - 99,999 pounds)

Max quantity in largest container: 2425 pounds

Tier Two

Reporting Period: January 1 to December 31, 2012

Emergency and Hazardous Chemical Inventory

Page 5

Specific Information by Chemical

Printed: February 25, 2013

Facility Name: Haartz Corp.

No. of days on-site: 365

STORAGE CODES & STORAGE LOCATIONS:

Container Type: K Pressure: 1 Temp: 4 Location: Bldg 1A Amount: pounds  
 Container Type: K Pressure: 1 Temp: 4 Location: Bldg 5 Amount: pounds  
 Container Type: K Pressure: 1 Temp: 4 Location: Bldg 14 Amount: pounds

CHEMICALS IN INVENTORY STATE FIELDS:

Massachusetts requests the following:

Mode of Shipment:

Trucks  Tank Trucks  Rail Car  Tank Car  Pipeline  Barge  Other (Specify)

Specify other: N/A

Frequency of Shipment: 0 per N/A

Maximum capacity per single vessel: 0

Max Shipment Qty (lbs): 0

Ave Qty (lbs): 0

Physical State in Transit: N/A

Comments (please provide both the preplanned and usual routes of travel): N/A

Carrier: 0

CHEM NAME: Epoxidized soybean oil

CAS: 8013-07-8

Identical to previous year

TRADE SECRET

Pure  Mix  Solid  Liquid  Gas  EHS

PHYSICAL & HEALTH HAZARDS:

Fire  Sudden Release of Pressure  Reactivity  Immediate (acute)  Delayed (chronic)

INVENTORY:

Max Daily Amt code: 05 (100,000 - 999,999 pounds)

Avg Daily Amt code: 04 (10,000 - 99,999 pounds)

No. of days on-site: 365

STORAGE CODES & STORAGE LOCATIONS:

Container Type: A Pressure: 1 Temp: 4 Location: Bldg. 10 Amount: pounds

CHEMICALS IN INVENTORY STATE FIELDS:

Massachusetts requests the following:

Mode of Shipment:

Trucks  Tank Trucks  Rail Car  Tank Car  Pipeline  Barge  Other (Specify)

Specify other: N/A

Frequency of Shipment: 0 per N/A

Maximum capacity per single vessel: 0

Max Shipment Qty (lbs): 0

Ave Qty (lbs): 0

Physical State in Transit: N/A

Comments (please provide both the preplanned and usual routes of travel): N/A

Carrier: 0

CHEM NAME: Lead acid batteries

CAS:

Identical to previous year

TRADE SECRET

Pure  Mix  Solid  Liquid  Gas  EHS

CHEMICAL COMPONENTS:

Tier Two  
Emergency and Hazardous Chemical Inventory  
Specific Information by Chemical

Reporting Period: January 1 to December 31, 2012

Page 6

Printed: February 25, 2013

Facility Name: Haartz Corp.

- EHS, CAS: , Component: Water, %  
 EHS, CAS: , Component: Lead compounds, 70% Wt

PHYSICAL & HEALTH HAZARDS:

- Fire  Sudden Release of Pressure  Reactivity  Immediate (acute)  Delayed (chronic)

INVENTORY:

Max Amt: 132,000 pounds Max Daily Amt code: 05 (100,000 - 999,999 pounds)  
Avg Amt: 132000 pounds Avg Daily Amt code: 05 (100,000 - 999,999 pounds)  
Max quantity in largest container: 2400 pounds  
No. of days on-site: 365

STORAGE CODES & STORAGE LOCATIONS:

Container Type: R Pressure: 1 Temp: 4 Location: In forkltrucks; at charging stations in Bldgs 15 & 1 Amount: pounds

CHEMICALS IN INVENTORY STATE FIELDS:

Massachusetts requests the following:

Mode of Shipment:

- Trucks  Tank Trucks  Rail Car  Tank Car  Pipeline  Barge  Other (Specify)

Specify other: N/A

Frequency of Shipment: 1 per Year  
Maximum capacity per single vessel: 2400  
Max Shipment Qty (lbs): 9600  
Ave Qty (lbs): 9600

Physical State in Transit: Solid

Comments (please provide both the preplanned and usual routes of travel): Sulfuric acid is contained within forkltruck, lift and floor washer batteries; Route of travel: Rt. 2 to Rt. 27 to Hayward Rd.

Carrier: Northeast Battery

CHEM NAME: Liquid Nitrogen

CAS: 7727-37-9

- Identical to previous year  
 TRADE SECRET  
 Pure  Mix  Solid  Liquid  Gas  EHS

PHYSICAL & HEALTH HAZARDS:

- Fire  Sudden Release of Pressure  Reactivity  Immediate (acute)  Delayed (chronic)

INVENTORY:

Max Amt: 16530 pounds Max Daily Amt code: 04 (10,000 - 99,999 pounds)  
Avg Daily Amt code: 04 (10,000 - 99,999 pounds)  
Max quantity in largest container: 16530 pounds  
No. of days on-site: 365

STORAGE CODES & STORAGE LOCATIONS:

Container Type: A Pressure: 2 Temp: 7 Location: Behind Bldg. 16 Amount: pounds

CHEMICALS IN INVENTORY STATE FIELDS:

Massachusetts requests the following:

Mode of Shipment:

- Trucks  Tank Trucks  Rail Car  Tank Car  Pipeline  Barge  Other (Specify)

Specify other: N/A

Frequency of Shipment: 0 per N/A  
Maximum capacity per single vessel: 0  
Max Shipment Qty (lbs): 0  
Ave Qty (lbs): 0

Physical State in Transit: N/A

Comments (please provide both the preplanned and usual routes of travel): N/A

Carrier: 0

Tier Two

Reporting Period: January 1 to December 31, 2012

Emergency and Hazardous Chemical Inventory

Page 7

Specific Information by Chemical

Printed: February 25, 2013

Facility Name: Haartz Corp.

CHEM NAME: METHYL ETHYL KETONE

CAS: 78-93-3

Identical to previous year

TRADE SECRET

Pure  Mix  Solid  Liquid  Gas  EHS

PHYSICAL & HEALTH HAZARDS:

Fire  Sudden Release of Pressure  Reactivity  Immediate (acute)  Delayed (chronic)

INVENTORY:

Max Amt: 137000 pounds Max Daily Amt code: 05 (100,000 - 999,999 pounds)

Avg Amt: 91660 pounds Avg Daily Amt code: 04 (10,000 - 99,999 pounds)

Max quantity in largest container: 56730 pounds

No. of days on-site: 365

STORAGE CODES & STORAGE LOCATIONS:

Container Type: B Pressure: 1 Temp: 4 Location: Tank Farm Amount: 137000 pounds

Container Type: D Pressure: 1 Temp: 4 Location: Building 16 Amount: pounds

Container Type: D Pressure: 1 Temp: 4 Location: Building 13 Amount: pounds

Container Type: D Pressure: 1 Temp: 4 Location: Building 13A Amount: pounds

Container Type: D Pressure: 1 Temp: 4 Location: Building 5A Amount: pounds

CHEMICALS IN INVENTORY STATE FIELDS:

Massachusetts requests the following:

Mode of Shipment:

Trucks  Tank Trucks  Rail Car  Tank Car  Pipeline  Barge  Other (Specify)

Specify other: N/A

Frequency of Shipment: 0 per N/A

Maximum capacity per single vessel: 0

Max Shipment Qty (lbs): 0

Ave Qty (lbs): 0

Physical State in Transit: N/A

Comments (please provide both the preplanned and usual routes of travel): N/A

Carrier: 0

CHEM NAME: Milastomer olefin polymers

CAS:

Identical to previous year

TRADE SECRET

Pure  Mix  Solid  Liquid  Gas  EHS

CHEMICAL COMPONENTS:

EHS, CAS: , Component: , %

EHS, CAS: , Component: , %

PHYSICAL & HEALTH HAZARDS:

Fire  Sudden Release of Pressure  Reactivity  Immediate (acute)  Delayed (chronic)

INVENTORY:

Max Daily Amt code: 05 (100,000 - 999,999 pounds)

Avg Daily Amt code: 05 (100,000 - 999,999 pounds)

No. of days on-site: 365

STORAGE CODES & STORAGE LOCATIONS:

Container Type: K Pressure: 1 Temp: 4 Location: Bldg 1A Amount: pounds

Container Type: K Pressure: 1 Temp: 4 Location: Bldg 5 Amount: pounds

Container Type: J Pressure: 1 Temp: 4 Location: Bldg 14 Amount: pounds

Container Type: J Pressure: 1 Temp: 4 Location: Bldg 14 Amount: pounds

Tier Two  
Emergency and Hazardous Chemical Inventory  
Specific Information by Chemical

Reporting Period: January 1 to December 31, 2012

Page 8

Printed: February 25, 2013

Facility Name: Haartz Corp.

CHEMICALS IN INVENTORY STATE FIELDS:

Massachusetts requests the following:

Mode of Shipment:

Trucks  Tank Trucks  Rail Car  Tank Car  Pipeline  Barge  Other (Specify)

Specify other: N/A

Frequency of Shipment: 0 per N/A

Maximum capacity per single vessel: 0

Max Shipment Qty (lbs): 0

Ave Qty (lbs): 0

Physical State in Transit: N/A

Comments (please provide both the preplanned and usual routes of travel): N/A

Carrier: 0

CHEM NAME: Norstab stabilizer

CAS:

Identical to previous year

TRADE SECRET

Pure  Mix  Solid  Liquid  Gas  EHS

CHEMICAL COMPONENTS:

EHS, CAS: 7601-89-0, Component: SODIUM PERCHLORATE, 5% Wt

PHYSICAL & HEALTH HAZARDS:

Fire  Sudden Release of Pressure  Reactivity  Immediate (acute)  Delayed (chronic)

INVENTORY:

Max Daily Amt code: 04 (10,000 - 99,999 pounds)

Avg Daily Amt code: 03 (1,000 - 9,999 pounds)

No. of days on-site: 365

STORAGE CODES & STORAGE LOCATIONS:

Container Type: D Pressure: 1 Temp: 4 Location: Bldg 1A Amount: pounds

CHEMICALS IN INVENTORY STATE FIELDS:

Massachusetts requests the following:

Mode of Shipment:

Trucks  Tank Trucks  Rail Car  Tank Car  Pipeline  Barge  Other (Specify)

Specify other: N/A

Frequency of Shipment: 0 per N/A

Maximum capacity per single vessel: 0

Max Shipment Qty (lbs): 0

Ave Qty (lbs): 0

Physical State in Transit: N/A

Comments (please provide both the preplanned and usual routes of travel): N/A

Carrier: 0

CHEM NAME: POLYESTER FIBER

CAS: 25038-59-9

Identical to previous year

TRADE SECRET

Pure  Mix  Solid  Liquid  Gas  EHS

PHYSICAL & HEALTH HAZARDS:

Fire  Sudden Release of Pressure  Reactivity  Immediate (acute)  Delayed (chronic)

INVENTORY:

Max Daily Amt code: 05 (100,000 - 999,999 pounds)

Avg Daily Amt code: 05 (100,000 - 999,999 pounds)

Tier Two

Reporting Period: January 1 to December 31, 2012

Emergency and Hazardous Chemical Inventory

Page 9

Specific Information by Chemical

Printed: February 25, 2013

Facility Name: Haartz Corp.

No. of days on-site: 365

STORAGE CODES & STORAGE LOCATIONS:

Container Type: R Pressure: 1 Temp: 4 Location: Building 14 Amount: pounds

Container Type: R Pressure: 1 Temp: 4 Location: Building 1A Amount: pounds

CHEMICALS IN INVENTORY STATE FIELDS:

Massachusetts requests the following:

Mode of Shipment:

Trucks  Tank Trucks  Rail Car  Tank Car  Pipeline  Barge  Other (Specify)

Specify other: N/A

Frequency of Shipment: 0 per N/A

Maximum capacity per single vessel: 0

Max Shipment Qty (lbs): 0

Ave Qty (lbs): 0

Physical State in Transit: N/A

Comments (please provide both the preplanned and usual routes of travel): N/A

Carrier: 0

CHEM NAME: Polyethylenes

CAS: 9002-88-4

Identical to previous year

TRADE SECRET

Pure  Mix  Solid  Liquid  Gas  EHS

PHYSICAL & HEALTH HAZARDS:

Fire  Sudden Release of Pressure  Reactivity  Immediate (acute)  Delayed (chronic)

INVENTORY:

Max Daily Amt code: 05 (100,000 - 999,999 pounds)

Avg Daily Amt code: 04 (10,000 - 99,999 pounds)

No. of days on-site: 365

STORAGE CODES & STORAGE LOCATIONS:

Container Type: K Pressure: 1 Temp: 4 Location: Bldg 1A Amount: pounds

Container Type: K Pressure: 1 Temp: 4 Location: Bldg 5, 15 Amount: pounds

CHEMICALS IN INVENTORY STATE FIELDS:

Massachusetts requests the following:

Mode of Shipment:

Trucks  Tank Trucks  Rail Car  Tank Car  Pipeline  Barge  Other (Specify)

Specify other: N/A

Frequency of Shipment: 0 per N/A

Maximum capacity per single vessel: 0

Max Shipment Qty (lbs): 0

Ave Qty (lbs): 0

Physical State in Transit: N/A

Comments (please provide both the preplanned and usual routes of travel): N/A

Carrier: 0

CHEM NAME: POLYPROPYLENE & POLYPROPYLENE BLENDS

CAS: 9010-79-1

Identical to previous year

TRADE SECRET

Pure  Mix  Solid  Liquid  Gas  EHS

PHYSICAL & HEALTH HAZARDS:

## Emergency and Hazardous Chemical Inventory

## Specific Information by Chemical

Facility Name: Haartz Corp.

## INVENTORY:

Max Daily Amt code: 05 (100,000 - 999,999 pounds)

Avg Daily Amt code: 05 (100,000 - 999,999 pounds)

No. of days on-site: 365

## STORAGE CODES &amp; STORAGE LOCATIONS:

Container Type: H Pressure: 1 Temp: 4 Location: Silos Amount: pounds

Container Type: K Pressure: 1 Temp: 4 Location: Building 1A Amount: pounds

Container Type: J Pressure: 1 Temp: 4 Location: Building 1A Amount: pounds

## CHEMICALS IN INVENTORY STATE FIELDS:

Massachusetts requests the following:

Mode of Shipment:

 Trucks  Tank Trucks  Rail Car  Tank Car  Pipeline  Barge  Other (Specify)

Specify other: N/A

Frequency of Shipment: 0 per N/A

Maximum capacity per single vessel: 0

Max Shipment Qty (lbs): 0

Ave Qty (lbs): 0

Physical State in Transit: N/A

Comments (please provide both the preplanned and usual routes of travel): N/A

Carrier: 0

CHEM NAME: Polypropylene Foams

CAS:

 Identical to previous year TRADE SECRET Pure  Mix  Solid  Liquid  Gas  EHS

## CHEMICAL COMPONENTS:

 EHS, CAS: 9010-79-1, Component: Polypropylene Resin, 65% Wt EHS, CAS: 9002-88-4, Component: Polyethylene Resin, 15% Wt

## PHYSICAL &amp; HEALTH HAZARDS:

 Fire  Sudden Release of Pressure  Reactivity  Immediate (acute)  Delayed (chronic)

## INVENTORY:

Max Daily Amt code: 05 (100,000 - 999,999 pounds)

Avg Daily Amt code: 04 (10,000 - 99,999 pounds)

No. of days on-site: 365

## STORAGE CODES &amp; STORAGE LOCATIONS:

Container Type: R Pressure: 1 Temp: 4 Location: Bldg. 1A Amount: pounds

Container Type: R Pressure: 1 Temp: 4 Location: Bldg. 5, 5A Amount: pounds

Container Type: R Pressure: 1 Temp: 4 Location: Bldg. 15 Amount: pounds

Container Type: R Pressure: 1 Temp: 4 Location: Bldg. 14 Amount: pounds

## CHEMICALS IN INVENTORY STATE FIELDS:

Massachusetts requests the following:

Mode of Shipment:

 Trucks  Tank Trucks  Rail Car  Tank Car  Pipeline  Barge  Other (Specify)

Specify other: N/A

Frequency of Shipment: 0 per N/A

Maximum capacity per single vessel: 0

Max Shipment Qty (lbs): 0

Ave Qty (lbs): 0

Physical State in Transit: N/A

Comments (please provide both the preplanned and usual routes of travel): N/A

Carrier: 0

Tier Two

Reporting Period: January 1 to December 31, 2012

Emergency and Hazardous Chemical Inventory

Page 11

Specific Information by Chemical

Printed: February 25, 2013

Facility Name: Haartz Corp.

CHEM NAME: POLYVINYL CHLORIDE

CAS: 9002-86-2

Identical to previous year

TRADE SECRET

Pure  Mix  Solid  Liquid  Gas  EHS

PHYSICAL & HEALTH HAZARDS:

Fire  Sudden Release of Pressure  Reactivity  Immediate (acute)  Delayed (chronic)

INVENTORY:

Max Daily Amt code: 05 (100,000 - 999,999 pounds)

Avg Daily Amt code: 05 (100,000 - 999,999 pounds)

No. of days on-site: 365

STORAGE CODES & STORAGE LOCATIONS:

Container Type: H Pressure: 1 Temp: 4 Location: Silos Amount: pounds

Container Type: O Pressure: 1 Temp: 4 Location: Building 5 Amount: pounds

Container Type: J Pressure: 1 Temp: 4 Location: Building 1A Amount: pounds

Container Type: J Pressure: 1 Temp: 4 Location: Building 14 Amount: pounds

CHEMICALS IN INVENTORY STATE FIELDS:

Massachusetts requests the following:

Mode of Shipment:

Trucks  Tank Trucks  Rail Car  Tank Car  Pipeline  Barge  Other (Specify)

Specify other: N/A

Frequency of Shipment: 0 per N/A

Maximum capacity per single vessel: 0

Max Shipment Qty (lbs): 0

Ave Qty (lbs): 0

Physical State in Transit: N/A

Comments (please provide both the preplanned and usual routes of travel): N/A

Carrier: 0

CHEM NAME: Sand & Salt

GAS:

Identical to previous year

TRADE SECRET

Pure  Mix  Solid  Liquid  Gas  EHS

CHEMICAL COMPONENTS:

EHS, CAS: , Component: Sand, %

EHS, CAS: , Component: Salt, %

PHYSICAL & HEALTH HAZARDS:

Fire  Sudden Release of Pressure  Reactivity  Immediate (acute)  Delayed (chronic)

INVENTORY:

Max Daily Amt code: 04 (10,000 - 99,999 pounds)

Avg Daily Amt code: 04 (10,000 - 99,999 pounds)

No. of days on-site: 365

STORAGE CODES & STORAGE LOCATIONS:

Container Type: R Pressure: 1 Temp: 4 Location: Shed behind Bldg. 14 Amount: pounds

CHEMICALS IN INVENTORY STATE FIELDS:

Massachusetts requests the following:

Mode of Shipment:

Trucks  Tank Trucks  Rail Car  Tank Car  Pipeline  Barge  Other (Specify)

Tier Two  
Emergency and Hazardous Chemical Inventory  
Specific Information by Chemical

Reporting Period: January 1 to December 31, 2012

Page 12

Printed: February 25, 2013

Facility Name: Haartz Corp.

Frequency of Shipment: 0 per N/A  
Maximum capacity per single vessel: 0  
Max Shipment Qty (lbs): 0  
Ave Qty (lbs): 0  
Physical State in Transit: N/A  
Comments (please provide both the preplanned and usual routes of travel): N/A  
Carrier: 0

CHEM NAME: Sarlink Thermoplastic Elastomer

CAS:

Identical to previous year  
 TRADE SECRET  
 Pure  Mix  Solid  Liquid  Gas  EHS

CHEMICAL COMPONENTS:

EHS, CAS: , Component: Thermoplastic elastomer - EPDM/olefin based, 92% Wt  
 EHS, CAS: 14807-96-6, Component: Talc, 8% Wt

PHYSICAL & HEALTH HAZARDS:

Fire  Sudden Release of Pressure  Reactivity  Immediate (acute)  Delayed (chronic)

INVENTORY:

Max Daily Amt code: 04 (10,000 - 99,999 pounds)  
Avg Daily Amt code: 04 (10,000 - 99,999 pounds)  
No. of days on-site: 365

STORAGE CODES & STORAGE LOCATIONS:

Container Type: K Pressure: 1 Temp: 4 Location: Bldg. 1A Amount: pounds  
Container Type: K Pressure: 1 Temp: 4 Location: Bldg. 5 Amount: pounds

CHEMICALS IN INVENTORY STATE FIELDS:

Massachusetts requests the following:

Mode of Shipment:

Trucks  Tank Trucks  Rail Car  Tank Car  Pipeline  Barge  Other (Specify)

Specify other: N/A

Frequency of Shipment: 0 per N/A

Maximum capacity per single vessel: 0

Max Shipment Qty (lbs): 0

Ave Qty (lbs): 0

Physical State in Transit: N/A

Comments (please provide both the preplanned and usual routes of travel): N/A

Carrier: 0

CHEM NAME: Solvent based topcoats, inks, pigments

CAS:

Identical to previous year  
 TRADE SECRET  
 Pure  Mix  Solid  Liquid  Gas  EHS

CHEMICAL COMPONENTS:

EHS, CAS: 78-93-3, Component: MEK

, %

EHS, CAS: 95-47-6, Component: Orthoxylene, %  
 EHS, CAS: 67-63-0, Component: IPA, %  
 EHS, CAS: 108-10-1, Component: MIBK, %  
 EHS, CAS: 100-41-4, Component: Ethylbenzene, %  
 EHS, CAS: 1330-20-7, Component: Xylene, %

Tier Two

Reporting Period: January 1 to December 31, 2012

Emergency and Hazardous Chemical Inventory

Page 13

Specific Information by Chemical

Printed: February 25, 2013

Facility Name: Haartz Corp.

EHS, CAS: 13463-67-7, Component: Titanium dioxide, %

EHS, CAS: 51274-00-1, Component: Iron oxide, %

PHYSICAL & HEALTH HAZARDS:

Fire  Sudden Release of Pressure  Reactivity  Immediate (acute)  Delayed (chronic)

INVENTORY:

Max Daily Amt code: 04 (10,000 - 99,999 pounds)

Avg Daily Amt code: 04 (10,000 - 99,999 pounds)

No. of days on-site: 365

STORAGE CODES & STORAGE LOCATIONS:

Container Type: D Pressure: 1 Temp: 4 Location: Bldg 13A, 13 Amount: pounds

Container Type: D Pressure: 1 Temp: 4 Location: Bldg 5A Amount: pounds

CHEMICALS IN INVENTORY STATE FIELDS:

Massachusetts requests the following:

Mode of Shipment:

Trucks  Tank Trucks  Rail Car  Tank Car  Pipeline  Barge  Other (Specify)

Specify other: N/A

Frequency of Shipment: 0 per N/A

Maximum capacity per single vessel: 0

Max Shipment Qty (lbs): 0

Ave Qty (lbs): 0

Physical State in Transit: N/A

Comments (please provide both the preplanned and usual routes of travel): Solvent based topcoats are mixed in-house

Carrier: 0

CHEM NAME: Thermoplastic Polyurethanes

CAS:

Identical to previous year

TRADE SECRET

Pure  Mix  Solid  Liquid  Gas  EHS

PHYSICAL & HEALTH HAZARDS:

Fire  Sudden Release of Pressure  Reactivity  Immediate (acute)  Delayed (chronic)

INVENTORY:

Max Daily Amt code: 04 (10,000 - 99,999 pounds)

Avg Daily Amt code: 04 (10,000 - 99,999 pounds)

No. of days on-site: 365

STORAGE CODES & STORAGE LOCATIONS:

Container Type: K Pressure: 1 Temp: 4 Location: Bldg 1A Amount: pounds

Container Type: K Pressure: 1 Temp: 4 Location: Bldg 5 Amount: pounds

Container Type: D Pressure: 1 Temp: 4 Location: Bldg 1A Amount: pounds

CHEMICALS IN INVENTORY STATE FIELDS:

Massachusetts requests the following:

Mode of Shipment:

Trucks  Tank Trucks  Rail Car  Tank Car  Pipeline  Barge  Other (Specify)

Specify other: N/A

Frequency of Shipment: 0 per N/A

Maximum capacity per single vessel: 0

Max Shipment Qty (lbs): 0

Ave Qty (lbs): 0

Physical State in Transit: N/A

Comments (please provide both the preplanned and usual routes of travel): N/A

Carrier: 0

Tier Two

Reporting Period: January 1 to December 31, 2012

Emergency and Hazardous Chemical Inventory

Page 15

Specific Information by Chemical

Printed: February 25, 2013

Facility Name: Haartz Corp.

Frequency of Shipment: 0 per N/A

Maximum capacity per single vessel: 0

Max Shipment Qty (lbs): 0

Ave Qty (lbs): 0

Physical State in Transit: N/A

Comments (please provide both the preplanned and usual routes of travel): N/A

Carrier: 0

CHEM NAME: Water based topcoats, primers

CAS:

Identical to previous year

TRADE SECRET

Pure  Mix  Solid  Liquid  Gas  EHS

CHEMICAL COMPONENTS:

EHS, CAS: , Component: Water, %

EHS, CAS: 78-93-3, Component: MEK, %

EHS, CAS: 108-10-1, Component: MIBK, %

EHS, CAS: 121-44-8, Component: Triethylamine, %

EHS, CAS: 872-50-4, Component: N-methyl-pyrrolidone, %

PHYSICAL & HEALTH HAZARDS:

Fire  Sudden Release of Pressure  Reactivity  Immediate (acute)  Delayed (chronic)

INVENTORY:

Max Daily Amt code: 04 (10,000 - 99,999 pounds)

Avg Daily Amt code: 04 (10,000 - 99,999 pounds)

No. of days on-site: 365

STORAGE CODES & STORAGE LOCATIONS:

Container Type: D Pressure: 1 Temp: 4 Location: Bldg 13, 13A Amount: pounds

Container Type: D Pressure: 1 Temp: 4 Location: Bldg 5A Amount: pounds

Container Type: D Pressure: 1 Temp: 4 Location: Bldg 17 Amount: pounds

Container Type: D Pressure: 1 Temp: 4 Location: Bldg 1A Amount: pounds

CHEMICALS IN INVENTORY STATE FIELDS:

Massachusetts requests the following:

Mode of Shipment:

Trucks  Tank Trucks  Rail Car  Tank Car  Pipeline  Barge  Other (Specify)

Specify other: N/A

Frequency of Shipment: 0 per N/A

Maximum capacity per single vessel: 0

Max Shipment Qty (lbs): 0

Ave Qty (lbs): 0

Physical State in Transit: N/A

Comments (please provide both the preplanned and usual routes of travel): Water based topcoats are mixed in-house

Carrier: 0

FACILITY STATE FIELDS:

Massachusetts requires some information located under other tabs.

Requested Contact: Carrier Information

STATE / LOCAL FEES: None.

I have attached a site plan

---

Facility Name: Haartz Corp.

---

- I have attached a list of site coordinate abbreviations
- I have attached a description of dikes and other safeguard measures

NOTES: Copies of Haartz' Integrated Contingency Plan containing detailed facility information, site plan and drawings have been delivered to Acton's LEPC, Fire Dept, and Police Dept.

---

**Certification (Read and sign after completing all sections)**

I certify under penalty of law that I have personally examined and am familiar with the information submitted in pages one through 16, and that based on my inquiry of those individuals responsible for obtaining this information, I believe that the submitted information is true, accurate, and complete.

Richard A. Hatfield, Director of Environmental

02/25/2013

Name and official title of owner/operator  
OR owner/operator's authorized representative

Signature

Date signed

---