



D.H.  
4/2/08

## ACTON BOARD OF HEALTH

Doug Halley  
Health Director

472 Main Street  
Acton, MA 01720

Telephone 978-264-9634  
Fax 978-264-9630

April 1, 2008

Patriot Auto  
140 Great Rd.  
Acton, MA 01720

To Whom It May Concern:

Thank you for your time on April, 1<sup>st</sup> 2008 during your annual hazardous materials compliance inspection. As per our discussion during the inspection, the Board of Health requires that the following violations be addressed:

- Acton Hazardous Materials Control Bylaw Chapter I 3.5.1 (e)  
*"All hazardous materials or wastes or special wastes to be stored above ground shall be stored in product tight containers on an impervious, chemical resistant surface, under cover and sheltered from the weather unless otherwise specified by the Board. The storage area shall be enclosed with a permanent dike of impervious construction providing a volume of at least 100% of the maximum volume of the largest single container or tank plus 10% of the total storage capacity."*

The above discrepancy must be addressed within fifteen (30) days from receipt of this letter in order to avoid further action by the Acton Board of Health. Re-inspection of Patriot Auto will be required. Please call 978-264-9634 to schedule.

Regards

  
Justin T. Snair  
Public and Environmental Health Agent

# Hazardous Material/Waste Inspection Form

Name of Facility: Patriot Auto Date: 4/1/2008  
Address: 140 Great Rd. Acton MA 01720  
Industry: Auto Contact Person: Steve  
Phone: 978-266-1902 Inspector's Name: J SNair

## Site Condition/Storage/Maintenance

---

Is the Area visually Clean?  Yes  No

Are Spills Present?  Yes  No

Are Materials Appropriately Stored?  Yes  No

Are Materials and Waste kept separate?  Yes  No

Are Spill Cleanup Materials Available?  Yes  No

Materials Have 110% Secondary Containment:  Yes  No

Are Materials/Wastes Labeled Properly?  Yes  No

Are Any Materials/Wastes Present on Site  
Not Currently Registered With B.O.H.  Yes  No

## Safety

---

Are MSDS's Available On Site?  Yes  No

Is Employee Personal Protective Equipment Available On Site?  Yes  No

Are Employees Trained in Hazardous Materials Handling?  Yes  No

Are Emergency Procedures Posted  Yes  No

## Site Management

---

Are any Wastes Generated?  Yes  No

If Yes, Are Wastes Removed By a Licensed Hauler?  Yes  No

Name

Phone

Are Throughput Records Available?  Yes  No

Are Any Issues Found in Throughput Records?  Yes  No

Are Floor Drains Present in Any Area with Hazardous Materials or Wastes?  Yes  No

Are Sinks Present in Any Area with Hazardous Materials or Wastes?  Yes  No

Is Testing of the Septic System Necessary?  Yes  No

Does the Site Plan Reflect Current Arrangement?  Yes  No

Any U.S.T. Present?  Yes  No

If Yes, is U.S.T. alarmed?  Yes  No

Any A.S.T. Present?

Yes  No

If Yes, A.S.T has/is:  
(check all that apply)

Secondary Containment

Stable

Impervious Base

### Action Items


---

55 gal. drum of waste antifreeze does not currently have 110% secondary containment and violates the following:

Acton Hazardous Materials Control Bylaw Chapter I 3.5.1 (e)

Is a Re-inspection Required?

Yes  No



Inspector's Signature

**TOWN OF ACTON  
HAZARDOUS MATERIALS CONTROL BYLAW**

April 1, 2008  
Patriot Automotive  
140 Great Road  
Acton, MA 01720

Due \$100  
Category 12, 4, 9

Site Address  
140 Great Road

**HAZARDOUS MATERIALS CONTROL PERMIT RENEWAL APPLICATION  
Categories**

- |  |  |
|--|--|
| 1. Hazardous Waste Generator (\$55)        | 2. Sm. Hazardous Waste Generator (\$35)    |
| 3. Hazardous Materials Generator (\$55)    | 4. Hazardous Materials User (\$35)         |
| 5. Discharge Permit (\$115)                | 6. Remediation Permit (\$115)              |
| 7. Hazardous Waste User (\$55)             | 8. Haz. Mat. Storer Large Industry (\$195) |
| 9. Haz. Mat. Storer Small Industry (\$130) | 10. Haz. Mat. Storer Large Retail (\$140)  |
| 11. Haz. Mat. Storer Small Retail (\$115)  | 12. Haz. Waste Storer Sm. Industry (\$35)  |
| 13. Haz. Waste Storer Retail (\$35)        | 14. Haz. Waste Storer Lge. Industry (\$55) |

Provide the following information under the authority of the General Laws of the Commonwealth of Massachusetts, Chapter 94, Section 305A, and Chapter 3, Section 5.

ESTABLISHMENT NAME: PATRIOT AUTOMOTIVE REPAIR

ESTABLISHMENT ADDRESS: 140 B GREAT ROAD  
ACTON, MA 01720

ESTABLISHMENT TELEPHONE: 978 266 1902

OWNERS/CORPORATE OFFICERS: Stephen Manera

ADDRESS: 173 Bellknap St Concord

TELEPHONE: 978 369 2739

ON-SITE MANAGER: Sawe

OPERATING SCHEDULE: 8:30-6:30 M-F

Pursuant to the General Laws of Massachusetts, Chapter 62C, Section 49A, I certify under the pains and penalties of perjury that I, to the best of my knowledge and belief, have filed all state tax returns and paid all state taxes required under law.

  
\_\_\_\_\_  
Signature of Owner/Applicant

043379408  
\_\_\_\_\_  
S.S.I or F.I.N. Number

4/1/08  
\_\_\_\_\_  
Date

**Please remit to Acton Board of Health, 472 Main Street, Acton, MA 01720  
No Later Than April 30, 2008**

Issued 4-29-08

\$100  
Expires 5/1/09

**TOWN OF ACTON  
PERMIT  
HAZARDOUS MATERIALS CONTROL BYLAW**

Patriot Automotive of 140 Great Road, Acton, MA 01720

Is hereby granted a permit to store and use Hazardous Materials at **140 Great Road** Acton, MA 01720. This permit is granted with the conditions as noted on the attached list of conditions assigned to your facility.

Permit Categories: 12, 4, 9

\*See below explanation of permit categories

**HAZARDOUS MATERIALS CONTROL PERMIT CATEGORIES AND FEES**

<u>Category</u>	<u>Initial</u>	<u>Renewal</u>
1. Large Hazardous Waste Generator	\$130	\$55
2. Small Hazardous Waste Generator	\$50	\$35
3. Hazardous Materials Generator	\$130	\$55
4. Hazardous Materials User	\$50	\$35
5. Remediation Discharge Permit	\$505	\$115
6. Remediation Permit	\$505	\$115
7. Hazardous Waste User	\$130	\$55
8. Hazardous Materials Storer Large Industry	\$430	\$195
9. Hazardous Materials Storer Small Industry	\$315	\$130
10. Hazardous Materials Storer Large Retail	\$375	\$140
11. Hazardous Materials Storer Small Retail	\$270	\$115
12. Hazardous Waste Storer Large Industry	\$130	\$55
13. Hazardous Waste Storer Small Industry	\$50	\$35
14. Hazardous Waste Storer Retail	\$50	\$35

**HAZARDOUS MATERIALS CONTROL PERMIT  
LIST OF CONDITIONS:  
PATRIOT AUTOMOTIVE  
140B GREAT ROAD  
ACTON, MA 01720**

Pursuant to the authority of Chapter I - Hazardous Materials Control Bylaw - of the Town of Acton's General Bylaws, the Board of Health has considered your application and plans submitted therewith, and has determined that the materials to be stored, used or generated, are within the scope of said bylaw. The Board of Health hereby orders that the following conditions are necessary and all storage, use or generation must be performed in strict conformance herewith:

1. All liquid Hazardous Materials and Wastes shall be stored in a containment area capable of containing 110% of the largest volume stored in the containment area.
2. All Materials Safety Data Sheets (MSDSs) for the Hazardous Materials shall be maintained on site. MSDSs shall be reviewed with employees at the time of their employment and on an annual basis thereafter. MSDSs must be made available to all employees upon request.
3. A Contingency Plan, including emergency contact numbers (telephone numbers of owner, operator, etc.) and a sketch showing clearly all Hazardous Material and Waste locations shall be submitted and updated annually, to the Board of Health, Fire Department, Police Department, and Civil Defense.
4. Emergency procedures and local Emergency Response Telephone Numbers (Health, Fire, Police, D.E.P., Civil Defense, etc.) should a spill occur, shall be posted in clear view of all employees where Hazardous Materials or Wastes are used or stored.
5. All Hazardous Wastes must be disposed of by a Licensed, D.E.P. approved, hauler or be recycled on site.
6. Copies of either all invoices or manifests for any Hazardous Materials or Wastes, received or disposed, shall be submitted to the Board of Health annually.
7. All Hazardous Materials Containers shall be labeled and dated when filling first began.
8. Speedy Dry, or its equivalent, shall be kept in the storage area, in case of a Hazardous Materials or Wastes spill.
10. All floor drains shall be sealed or discharged into a closed system, with the waste disposed of by a D.E.P. approved Hazardous Waste Hauler.
11. Protective equipment, including chemical resistant gloves, eye goggles and (rubber) boots, in addition to soap and water, shall be made available to all employees, at all times, in any Hazardous Materials or Waste storage or use area.
12. No Hazardous Materials or Wastes shall be discharged into a sink or toilet.
13. A safety eye wash station shall be installed where any Hazardous Materials or Wastes are handled or used.
14. A fire extinguisher, containing an appropriate fire extinguishing agent, shall be placed in the Hazardous Materials Storage area.

15. No food or drink shall be stored or consumed in any area where Hazardous Materials are stored or used.
16. Within thirty (30) days after issuance of this permit and prior to the next pumping of the septic tank, a sample shall be taken from the liquid layer of the septic tank and analyzed for volatile organic compounds by EPA Method 624. A sample shall be taken each time prior to pumping the septic tank. Each sample shall be analyzed by a DEP certified testing lab. The results of all tests shall be submitted to the Board of Health within thirty (30) days after testing. The septic tank shall be tested annually unless otherwise requested by the Board of Health.
21. Gas cylinders shall not be rolled, even for short distances. They shall be moved by a suitable hand truck, in accordance with an OSHA standard that applies.
25. Prior to any new chemical or processes being used, the Board of Health shall be notified.
26. The operation of this facility shall be in compliance with all present and future regulations of E.P.A. and D.E.P. at all times. Nothing in this permit allows or requires non-compliance with all present and future applicable laws or regulations of the Federal or State Governments.