

HAZARDOUS MATERIALS CONTROL PERMIT CERTIFICATION

I hereby certify on behalf of Sawyer Automotive, the applicant for a permit or permit renewal from the Acton Board of Health pursuant to Chapter I of the Town of Acton General By-laws (the "Permit Application") that (a) the information contained in the Permit Application is true, accurate and complete, and (b) the facility located/operating at _____, Acton, MA and that is the subject of the Permit Application complies with the requirements for Approval of Hazardous Material Waste and Special Waste Permits as defined in section 3.5 of Chapter I of the Town of Acton General By-laws, Hazardous Materials Control, as amended.

Denise A Sawyer

Authorized Signatory

5/2/2011

Date

Hazardous Material (Non-Waste) Inventory Information

Complete the table below for all non-waste inventory. Use additional pages if necessary.

Chemical/Common Name	Max. Qty (at any one time)	Container Size (single largest container)	Location(s) (see section C)
New Motor Oil	260 gal. ____ lbs. ____ cu. ft.	260 gal. ____ lbs. ____ . ft.	K20
	____ gal. ____ lbs. ____ cu. ft.	____ gal. ____ lbs. ____ cu. ft.	
	____ gal. ____ lbs. ____ cu. ft.	____ gal. ____ lbs. ____ cu. ft.	
	____ gal. ____ lbs. ____ cu. ft.	____ gal. ____ lbs. ____ cu. ft.	
	____ gal. ____ lbs. ____ cu. ft.	____ gal. ____ lbs. ____ cu. ft.	
	____ gal. ____ lbs. ____ cu. ft.	____ gal. ____ lbs. ____ cu. ft.	

Hazardous Waste Inventory Information

(Hazardous Waste Generator Permit Application/Amendment)

Complete the table below for all waste inventory. Use additional pages if needed.

Name of Hazardous Waste	Treatment/Disposal Method(s) (Definitions provided on bottom of page)	Max. Qty. (at any one time)	Annual Qty. Generated	Location(s) (see Section C)
Used Motor Oil	<input checked="" type="checkbox"/> Recycled on-site. ____ Treated on-site. ____ Shipped off-site for recycling/ treatment /disposal	655 gal. ____ lbs. ____ cu. ft.	600 gal. ____ lbs. ____ cu. ft.	K22
	____ Recycled on-site. ____ Treated on-site. ____ Shipped off-site for recycling/treatment/disposal	____ gal. ____ lbs. ____ cu. ft.	____ gal. ____ lbs. ____ cu. ft.	
	____ Recycled on-site. ____ Treated on-site. ____ Shipped off-site for recycling/treatment/disposal	____ gal. ____ lbs. ____ cu. ft.	____ gal. ____ lbs. ____ cu. ft.	
	____ Recycled on-site. ____ Treated on-site. ____ Shipped off-site for recycling/treatment/disposal	____ gal. ____ lbs. ____ cu. ft.	____ gal. ____ lbs. ____ cu. ft.	
	____ Recycled on-site. ____ Treated on-site. ____ Shipped off-site for recycling/treatment/disposal	____ gal. ____ lbs. ____ cu. ft.	____ gal. ____ lbs. ____ cu. ft.	

RECEIVED


MAY 03 2011

Facility Site Plan/Storage Map

Prepare and submit with this Registration Form a simple site map which shows the following information:

- North direction • Street(s) adjacent to facility • Electrical, water, and gas shutoff valves
- Basic floor plan for each building containing hazardous materials/wastes which indicates building entrance(s) and hazardous material/waste storage locations (use grid locations or assign a code - A, B, C, etc. - to clearly identify each storage location for use in the above inventories).

Site Address: 644 Massachusetts Ave City: Acton
 Date Map Drawn: 5/2/2011



Endorsement

I declare that the above information is true and correct to the best of my knowledge. I agree to comply with all applicable regulations regarding storage, handling, and disposal of hazardous materials and hazardous wastes.

Raymond Sawyer
 Owner/Operator's Name (Print)

[Signature]
 Owner/Operator's Signature

5/2/11
 Date

----- Do Not Complete below This Line -----

**TOWN OF ACTON
HAZARDOUS MATERIALS CONTROL BYLAW**

April 1, 2011
Sawyer Automotive
644 Mass Avenue
Acton, MA 01720

Due: \$370
Category: 2,4,8,12

Site Address
644 Mass Avenue Acton, MA 01720

HAZARDOUS MATERIALS CONTROL PERMIT RENEWAL APPLICATION

Categories

- | | |
|--|--|
| 1. Hazardous Waste Generator (\$65) | 2. Sm. Hazardous Waste Generator (\$45) |
| 3. Hazardous Materials Generator (\$65) | 4. Hazardous Materials User (\$45) |
| 5. Discharge Permit (\$140) | 6. Remediation Permit (\$140) |
| 7. Hazardous Waste User (\$65) | 8. Haz. Mat. Storer Large Industry (\$235) |
| 9. Haz. Mat. Storer Small Industry (\$160) | 10. Haz. Mat. Storer Large Retail (\$170) |
| 11. Haz. Mat. Storer Small Retail (\$140) | 12. Haz. Waste Storer Sm. Industry (\$45) |
| 13. Haz. Waste Storer Retail (\$45) | 14. Haz Waste Storer Lge. Industry (\$65) |

Provide the following information under the authority of the General Laws of the Commonwealth of Massachusetts, Chapter 94, Section 305A, and Chapter 3, Section 5.

ESTABLISHMENT NAME: Same

ESTABLISHMENT ADDRESS: _____

E-MAIL ADDRESS: _____

ESTABLISHMENT TELEPHONE: _____

OWNERS/CORPORATE OFFICERS: _____

ADDRESS: _____

TELEPHONE: _____

ON-SITE MANAGER: _____

Maximum Potential Quantity of Materials: Gals/Lbs Stored _____ Used _____
Maximum Potential Quantity of Wastes: Gals/Lbs Stored _____ Used _____

Pursuant to the General Laws of Massachusetts, Chapter 62C, Section 49A, I certify under the pains and penalties of perjury that I, to the best of my knowledge and belief, have filed all state tax returns and paid all state taxes required under law.

Signature of Owner/Applicant [Signature]

Date 4-21-11

F.I.N. Number

RECEIVED

APR 25 2011

ACTON BOARD OF HEALTH

5/1/2011

Expires 5/1/12
Paid: **\$370**

**TOWN OF ACTON
PERMIT
HAZARDOUS MATERIALS CONTROL BYLAW
Sawyer Automotive,
644 Mass Avenue Acton, MA 01720**

Is hereby granted a permit to store and use Hazardous Materials at **644 Mass Avenue** Acton, MA 01720. This permit is granted with the conditions as noted on the attached list of conditions assigned to your facility.

Permit Categories: **2,4,8,12**

*See below explanation of permit categories

HAZARDOUS MATERIALS CONTROL PERMIT CATEGORIES AND FEES

<u>Category</u>	<u>Initial</u>	<u>Renewal</u>
1. Large Hazardous Waste Generator	\$160	\$65
2. Small Hazardous Waste Generator	\$60	\$45
3. Hazardous Materials Generator	\$160	\$65
4. Hazardous Materials User	\$50	\$45
5. Remediation Discharge Permit	\$575	\$140
6. Remediation Permit	\$595	\$140
7. Hazardous Waste User	\$160	\$65
8. Hazardous Materials Storer Large Industry	\$510	\$235
9. Hazardous Materials Storer Small Industry	\$360	\$160
10. Hazardous Materials Storer Large Retail	\$430	\$140
11. Hazardous Materials Storer Small Retail	\$305	\$160
12. Hazardous Waste Storer Small Industry	\$160	\$65
13. Hazardous Waste Storer Retail	\$60	\$45
14. Hazardous Waste Storer Large Industry	\$160	\$65

HAZARDOUS MATERIALS CONTROL PERMIT

**List of Conditions:
Sawyer Automotive
644 Mass. Ave.
Acton, MA 01720**

Pursuant to the authority of Chapter I - Hazardous Materials Control Bylaw - of the Town of Acton's General Bylaws, the Board of Health has considered your application and plans submitted therewith, and has determined that the materials to be stored, used or generated, are within the scope of said bylaw. The Board of Health hereby orders that the following conditions are necessary and all storage, use or generation must be performed in strict conformance herewith:

1. All liquid Hazardous Materials and Wastes shall be stored in a containment area capable of containing 110% of the largest volume stored in the containment area.
2. All Materials Safety Data Sheets (MSDSs) for the Hazardous Materials shall be maintained on site. MSDSs shall be reviewed with employees at the time of their employment and on an annual basis thereafter. MSDS must be made available to all employees upon request.
3. A Contingency Plan, including emergency contact numbers (Telephone numbers of owner, operator, etc.) and a sketch showing clearly all Hazardous Material and Waste locations shall be submitted and updated annually, to the Board of Health, Fire Department, Police Department, and Civil Defense.
4. Emergency procedures and local Emergency Response Telephone Numbers (Health, Fire, Police, D.E.P., Civil Defense, etc.) should a spill occur, shall be posted in clear view of all employees where Hazardous Materials or Wastes are used or stored.
5. All Hazardous Wastes must be disposed of by a Licensed, D.E.P. approved, hauler or be recycled on site.
6. Copies of either all invoices or manifests for any Hazardous Materials or Wastes, received or disposed, shall be submitted to the Board of Health annually.
7. All Hazardous Materials Containers shall be labeled and dated when filling first began.
8. Speedy Dry, or its equivalent, shall be kept in the storage area, in case of a Hazardous Materials or Wastes spill.
9. Floor cleaning procedures and bathroom sanitation products shall use only nontoxic and biodegradable cleaning compounds.
10. All floor drains shall be sealed or discharged into a closed system, with the waste disposed of by a D.E.P. approved Hazardous Waste Hauler.
11. Protective equipment, including chemical resistant gloves, eye goggles and (rubber) boots, in addition to soap and water, shall be made available to all employees, at all times, in any Hazardous Materials or Waste storage or use area.
12. No Hazardous Materials or Wastes shall be discharged into a sink or toilet.
14. A fire extinguisher, containing an appropriate fire extinguishing agent, shall be placed in the Hazardous Materials Storage area.

15. No food or drink shall be stored or consumed in any area where Hazardous Materials are stored or used.
16. Within thirty (30) days after issuance of this permit and prior to the next pumping of the septic tank, a sample shall be taken from the liquid layer of the septic tank and analyzed for volatile organic compounds by EPA Method 624. A sample shall be taken each time prior to pumping the septic tank. Each sample shall be analyzed by a DEP certified testing lab. The results of all tests shall be submitted to the Board of Health within thirty (30) days after testing. The septic tank shall be tested annually unless otherwise requested by the Board of Health.
25. Prior to any new chemical or processes being used, the Board of Health shall be notified.
26. The operation of this facility shall be in compliance with all present and future regulations of E.P.A. and D.E.P. at all times. Nothing in this permit allows or requires non-compliance with all present and future applicable laws or regulations of the Federal or State Governments.