

Northeast Ohio Office

RECEIVED  
AUG - 2 2010



BUREAU  
VERITAS

520 South Main Street  
Suite 2444  
Akron, OH 44311-1010  
(330) 252-5100  
(800) 331-3044  
FAX (330) 252-5105

TOWN CLERK, ACTON

To: Environmental Health  
Fax #: (978) 264-9630  
Pages (including this page): 1  
Date: July 15, 2010  
From: Mary Armstrong-Friberg  
Subject: Request for Information

RECEIVED

AUG - 02 2010

ACTON BOARD OF HEALTH

To Whom it May Concern,

We are requesting any copies of any files that the Action HD may have for the following property (info. on septic, wells, etc.) for the time period 2007 through present:

National Technical Systems  
533 Main Street  
Action, Massachusetts

Please call me with any questions, comments, or fax a response to my attention at 330.252.5105 with any files you may have or to let me know that none exist.

Thank You.

Mary Armstrong-Friberg  
Project Manager  
Bureau Veritas

sent  
8/5/10  
AKF

**Occupational Health & Safety**  
Industrial Hygiene  
Asbestos & Lead Management  
Training  
Ergonomics  
Safety  
Process Safety  
Bio Safety  
Service Water Systems  
Indoor Air Quality  
Safety & Health Management

**Environmental Services**  
Environmental Assessments  
Strategic Environmental Management  
Regulatory Compliance  
Engineering Design & Construction  
Remedial Design  
Remediation Field Services  
Air Quality Services  
Pollution Prevention  
Metals Fixation  
Risk Assessment

**Laboratory Services**  
Industrial Hygiene Analyses  
Environmental Sampling & Analysis  
Immunoassay Techniques  
Microscopy & Materials Characterization  
Air Quality Analyses  
Method Development/Validation

**Management Consulting**  
Strategic Planning  
Mergers & Acquisitions  
Organizational Development  
Management Systems  
ISO 14001  
Data Management  
Competitive Benchmarking  
Gap Analysis  
Compliance Support  
Regulatory Liaison

THIS MESSAGE IS INTENDED ONLY FOR THE USE OF THE INDIVIDUAL OR ENTITY TO WHICH IT IS ADDRESSED AND MAY CONTAIN INFORMATION THAT IS PRIVILEGED, CONFIDENTIAL, AND EXEMPT FROM DISCLOSURE UNDER APPLICABLE LAW. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this communication is strictly prohibited. If you have received this communication in error, please notify us immediately by telephone using our toll-free number, and return the original message to us at the above address via First Class Mail. Thank you.

PLEASE CALL US IMMEDIATELY IF THE FAX YOU RECEIVED IS INCOMPLETE OR ILLEGIBLE

**TOWN OF ACTON  
HAZARDOUS MATERIALS CONTROL BYLAW**

**April 1, 2010**

**Due \$295**

NTS  
533 Main Street  
Acton, MA 01720

**Category 2, 4, 9, 12**

**Site Address**

533 Main Street

**HAZARDOUS MATERIALS CONTROL PERMIT RENEWAL APPLICATION**

**Categories**

- |   |  |
|---|--|
| 1. Hazardous Waste Generator (\$65)       | ② Sm. Hazardous Waste Generator (\$45)     |
| 3. Hazardous Materials Generator (\$65)   | ④ Hazardous Materials User (\$45)          |
| 5. Discharge Permit (\$140)               | 6. Remediation Permit (\$140)              |
| 7. Hazardous Waste User (\$65)            | 8. Haz. Mat. Storer Large Industry (\$235) |
| ⑨ Haz. Mat. Storer Small Industry (\$160) | 10. Haz. Mat. Storer Large Retail (\$170)  |
| 11. Haz. Mat. Storer Small Retail (\$140) | ⑫ Haz. Waste Storer Sm. Industry (\$45)    |
| 13. Haz. Waste Storer Retail (\$45)       | 14. Haz Waste Storer Lge. Industry (\$65)  |

Provide the following information under the authority of the General Laws of the Commonwealth of Massachusetts, Chapter 94, Section 305A, and Chapter 3, Section 5.

ESTABLISHMENT NAME: NATIONAL TECHNICAL SYSTEMS  
ESTABLISHMENT ADDRESS: 533 MAIN ST. ACTON  
ESTABLISHMENT TELEPHONE: 978-263-2933  
OWNERS/CORPORATE OFFICERS: \_\_\_\_\_  
ADDRESS: \_\_\_\_\_  
TELEPHONE: \_\_\_\_\_  
ON-SITE MANAGER: STEVE EISENBERG  
OPERATING SCHEDULE: M-F 8:00 - 4:30

<b>Maximum Potential Quantity of Materials:</b> Gals/Lbs Stored <u>50</u> Used <u>50</u>
<b>Maximum Potential Quantity of Wastes:</b> Gals/Lbs Stored <u>110</u> Used <u>110</u>

Pursuant to the General Laws of Massachusetts, Chapter 62C, Section 49A, I certify under the pains and penalties of perjury that I, to the best of my knowledge and belief, have filed all state tax returns and paid all state taxes required under law.

Signature of Owner/Applicant  
4/20/10  
Date

04-2398305  
S.S.I or F.I.N. Number

Please remit to Acton Board of Health, 472 Main Street, Acton, MA 01720  
No Later Than April 30, 2010

5/1/2010

Expires 5/1/11  
Paid: \$295

**TOWN OF ACTON  
PERMIT  
HAZARDOUS MATERIALS CONTROL BYLAW**

NTS,533 Main Street , Acton, MA 01720

Is hereby granted a permit to store and use Hazardous Materials at **533 Main Street** Acton, MA 01720. This permit is granted with the conditions as noted on the attached list of conditions assigned to your facility.

Permit Categories: 2, 4, 9, 12

\*See below explanation of permit categories

**HAZARDOUS MATERIALS CONTROL PERMIT CATEGORIES AND FEES**

<u>Category</u>	<u>Initial</u>	<u>Renewal</u>
1. Large Hazardous Waste Generator	\$130	\$55
2. Small Hazardous Waste Generator	\$50	\$35
3. Hazardous Materials Generator	\$130	\$55
4. Hazardous Materials User	\$50	\$35
5. Remediation Discharge Permit	\$505	\$115
6. Remediation Permit	\$505	\$115
7. Hazardous Waste User	\$130	\$55
8. Hazardous Materials Storer Large Industry	\$430	\$195
9. Hazardous Materials Storer Small Industry	\$315	\$130
10. Hazardous Materials Storer Large Retail	\$375	\$140
11. Hazardous Materials Storer Small Retail	\$270	\$115
12. Hazardous Waste Storer Large Industry	\$130	\$55
13. Hazardous Waste Storer Small Industry	\$50	\$35
14. Hazardous Waste Storer Retail	\$50	\$35

**HAZARDOUS MATERIALS CONTROL PERMIT  
LIST OF CONDITIONS:  
N.T.S.  
533 MAIN STREET  
ACTON, MA 01720**

Pursuant to the authority of Chapter I - Hazardous Materials Control Bylaw - of the Town of Acton's General Bylaws, the Board of Health has considered your application and plans submitted therewith, and has determined that the materials to be stored, used or generated, are within the scope of said bylaw. The Board of Health hereby orders that the following conditions are necessary and all storage, use or generation must be performed in strict conformance herewith:

1. All liquid Hazardous Materials and Wastes shall be stored in a containment area capable of containing 110% of the largest volume stored in the containment area.
2. All Materials Safety Data Sheets (MSDSs) for the Hazardous Materials shall be maintained on site. MSDSs shall be reviewed with employees at the time of their employment and on an annual basis thereafter. MSDS must be made available to all employees upon request.
3. A Contingency Plan, including emergency contact numbers (Telephone numbers of owner, operator, etc.) and a sketch showing clearly all Hazardous Material and Waste locations shall be submitted and updated annually, to the Board of Health, Fire Department, Police Department, and Civil Defense.
4. Emergency procedures and local Emergency Response Telephone Numbers (Health, Fire, Police, D.E.P., Civil Defense, etc.) should a spill occur, shall be posted in clear view of all employees where Hazardous Materials or Wastes are used or stored.
5. All Hazardous Wastes must be disposed of by a Licensed, D.E.P. approved, hauler or be recycled on site.
6. Copies of either all invoices or manifests for any Hazardous Materials or Wastes, received or disposed, shall be submitted to the Board of Health annually.
7. All Hazardous Materials Containers shall be labeled and dated when filling first began.
8. Speedy Dry, or its equivalent, shall be kept in the storage area, in case of a Hazardous Materials or Wastes spill.
9. Floor cleaning procedures and bathroom sanitation products shall us only nontoxic and biodegradable cleaning compounds.
11. Protective equipment, including chemical resistant gloves, eye goggles and (rubber) boots, in addition to soap and water, shall be made available to all employees, at all times, in any Hazardous Materials or Waste storage or use area.
12. No Hazardous Materials or Wastes shall be discharged into a sink or toilet.
13. A safety eye wash station shall be installed where any Hazardous Materials or Wastes are handled or used.
14. A fire extinguisher, containing an appropriate fire extinguishing agent, shall be placed in the Hazardous Materials Storage area.

15. No food or drink shall be stored or consumed in any area where Hazardous Materials are stored or used.
21. Gas cylinders shall not be rolled, even for short distances. They shall be moved by a suitable hand truck, in accordance with an OSHA standard that applies.
25. Prior to any new chemical or processes being used, the Board of Health shall be notified.
26. The operation of this facility shall be in compliance with all present and future regulations of E.P.A. and D.E.P. at all times. Nothing in this permit allows or requires non-compliance with all present and future applicable laws or regulations of the Federal or State Governments.
30. The existing fuel oil storage tanks shall be tested for integrity after twenty (20) years, and every year thereafter. Any negative determination of integrity shall cause the immediate removal of the tank by a licensed Hazardous Materials and Wastes Contractor.