

pd
280.00 ✓
✓



**TOWN OF ACTON
HAZARDOUS MATERIALS CONTROL
ANNUAL PERMIT APPLICATION**

Site Address	Mailing Address
W. Acton Mobil/Paul Lang Dorp 533 Mass Avenue Acton, MA 01720	553 Mass Avenue Acton, MA 01720
Category: 8, 13, , ,	Fee: \$ 280

Hazardous Materials Permitting Categories (Renewal)


- | | |
|-------------------------------------------|--------------------------------------------|
| 1. Hazardous Waste Generator (\$65) | 2. Small Hazardous Waste Generator (\$45) |
| 3. Hazardous Materials Generator (\$65) | 4. Hazardous Materials User (\$45) |
| 5. Discharge Permit (\$140) | 6. Remediation Permit (\$140) |
| 7. Hazardous Waste User (\$65) | 8. Haz. Mat. Storer Large Industry (\$235) |
| 9. Haz. Mat. Storer Small Industry (160) | 10. Haz. Mat. Storer Large Retail (\$170) |
| 11. Haz. Mat. Storer Small Retail (\$140) | 12. Haz. Waste Storer Industry (\$65) |
| 13. Haz. Waste Storer Retail (\$45) | |

- Are MSDS's readily available on-site? Yes No
- Is employee personal protective equipment available on site? Yes No
- Are emergency procedures posted? Yes No
- Do all hazardous materials have 110% secondary containment? Yes No
- Are all materials and wastes clearly labeled? Yes No
- Are spill cleanup materials available? Yes No
- Do you have a copy of the Hazardous Materials Control Bylaw on site? Yes No
- Are you contracting with a DEP licensed waste hauler (if applicable)? Yes No

Name of hauler: TMC ENVIRONMENTAL
 Address of hauler: 19 NATIONAL DRIVE FRANKLIN MA 02038

- Can you provide copies of waste shipping manifests if necessary? Yes No
- Contact person for the site is PA

I hereby certify on behalf of PAUL LANG, the applicant for a permit or permit renewal from the Acton Board of Health pursuant to Chapter I of the Town of Acton General By-laws (the "Permit Application") that (a) the information contained in the Permit Application is true, accurate and complete, and (b) the facility located/operating at the above noted site address, Acton, MA and that is the subject of the Permit Application complies with the requirements for Approval of Hazardous Material Waste and Special Waste Permits as defined in section 3.5 of Chapter I of the Town of Acton General By-laws, Hazardous Materials Control, as amended.

Authorized Signatory 

Date 4/29/14

A. Hazardous Material (Non-Waste) Inventory Information

Complete the table below for all non-waste inventory. Use additional pages if necessary.

Chemical/Common Name	Max. Qty (at any one time)	Container Size (single largest container)	Location(s) (see section C)
REGULAR GASOLINE	19,000 gal. ____ lbs. ____ cu. ft.	20,000 gal. ____ lbs. ____ ft.	SEE MAP
SUPER GASOLINE	9,000 gal. ____ lbs. ____ cu. ft.	10,000 gal. ____ lbs. ____ cu. ft.	SEE MAP
DIESEL	9,000 gal. ____ lbs. ____ cu. ft.	1,000 gal. ____ lbs. ____ cu. ft.	
MOTOR OIL	10 gal. ____ lbs. ____ cu. ft.	10 gal. ____ lbs. ____ cu. ft.	IN STORE
ANTI-FREEZE	10 gal. ____ lbs. ____ cu. ft.	10 gal. ____ lbs. ____ cu. ft.	IN STORE
	____ gal. ____ lbs. ____ cu. ft.	____ gal. ____ lbs. ____ cu. ft.	

B. Hazardous Waste Inventory Information

(Hazardous Waste Generator Permit Application/Amendment)

Complete the table below for all waste inventory. Use additional pages if needed.


Name of Hazardous Waste	Treatment/Disposal Method(s) (Definitions provided on bottom of page)	Max. Qty. (at any one time)	Annual Qty. Generated	Location(s) (see Section C)
WASTE OIL	DRUMS/HAUL	50 Gal	0	
	____ Recycled on-site. ____ Treated on-site. ____ Shipped off-site for recycling/treatment/disposal	____ gal. ____ lbs. ____ cu. ft.	____ gal. ____ lbs. ____ cu. ft.	
	____ Recycled on-site. ____ Treated on-site. ____ Shipped off-site for recycling/treatment/disposal	____ gal. ____ lbs. ____ cu. ft.	____ gal. ____ lbs. ____ cu. ft.	
	____ Recycled on-site. ____ Treated on-site. ____ Shipped off-site for recycling/treatment/disposal	____ gal. ____ lbs. ____ cu. ft.	____ gal. ____ lbs. ____ cu. ft.	
	____ Recycled on-site. ____ Treated on-site. ____ Shipped off-site for recycling/treatment/disposal	____ gal. ____ lbs. ____ cu. ft.	____ gal. ____ lbs. ____ cu. ft.	
	____ Recycled on-site. ____ Treated on-site. ____ Shipped off-site for recycling/treatment/disposal	____ gal. ____ lbs. ____ cu. ft.	____ gal. ____ lbs. ____ cu. ft.	

C. Facility Site Plan/Storage Map

Prepare and submit with this Registration Form a simple site map which shows the following information:

- North direction • Street(s) adjacent to facility • Electrical, water, and gas shutoff valves
- Basic floor plan for each building containing hazardous materials/wastes which indicates building entrance(s) and hazardous material/waste storage locations (use grid locations or assign a code - A, B, C, etc. - to clearly identify each storage location for use in the above inventories).

Site Address: 553 MASS AVE City: ACTON
 Date Map Drawn: 4/29/14



D. Endorsement

I declare that the above information is true and correct to the best of my knowledge. I agree to comply with all applicable regulations regarding storage, handling, and disposal of hazardous materials and hazardous wastes.

PAUL LANG
 Owner/Operator's Name (Print)

[Signature]
 Owner/Operator's Signature

4-29-14
 Date

----- Do Not Complete below This Line -----

5/1/2014

Expires 5/1/2015

Fee: \$ 280

**TOWN OF ACTON
PERMIT
HAZARDOUS MATERIALS CONTROL BYLAW**

Is hereby granted a permit to store and use Hazardous Materials at **W. Acton Mobil/Paul Lang Corp, 533 Mass Avenue, Acton MA 01720**. This permit is granted with the conditions as noted on the attached list of conditions assigned to your facility.

Permit Categories: **8, 13, , ,**

*See below explanation of permit categories

HAZARDOUS MATERIALS CONTROL PERMIT CATEGORIES AND FEES

<u>Category</u>	<u>Initial</u>	<u>Renewal</u>
1. Large Hazardous Waste Generator	\$160	\$65
2. Small Hazardous Waste Generator	\$60	\$45
3. Hazardous Materials Generator	\$160	\$65
4. Hazardous Materials User	\$50	\$45
5. Remediation Discharge Permit	\$575	\$140
6. Remediation Permit	\$595	\$140
7. Hazardous Waste User	\$160	\$65
8. Hazardous Materials Storer Large Industry	\$510	\$235
9. Hazardous Materials Storer Small Industry	\$360	\$160
10. Hazardous Materials Storer Large Retail	\$430	\$170
11. Hazardous Materials Storer Small Retail	\$305	\$160
12. Hazardous Waste Storer Small Industry	\$160	\$65
13. Hazardous Waste Storer Retail	\$60	\$45
14. Hazardous Waste Storer Large Industry	\$160	\$65

HAZARDOUS MATERIALS CONTROL PERMIT

List of Conditions:

**W. Acton Mobil
553 Mass. Ave.
Acton, MA 01720**

Pursuant to the authority of Chapter I - Hazardous Materials Control Bylaw - of the Town of Acton's General Bylaws, the Board of Health has considered your application and plans submitted therewith, and has determined that the materials to be stored, used or generated, are within the scope of said bylaw. The Board of Health hereby orders that the following conditions are necessary and all storage, use or generation must be performed in strict conformance herewith:

1. All liquid Hazardous Materials and Wastes shall be stored in a containment area capable of containing 110% of the largest volume stored in the containment area.
2. All Materials Safety Data Sheets (MSDSs) for the Hazardous Materials shall be maintained on site. MSDSs shall be reviewed with employees at the time of their employment and on an annual basis thereafter. MSDS must be made available to all employees upon request.
3. A Contingency Plan, including emergency contact numbers (Telephone numbers of owner, operator, etc.) and a sketch showing clearly all Hazardous Material and Waste locations shall be submitted and updated annually, to the Board of Health, Fire Department, Police Department, and Civil Defense.
4. Emergency procedures and local Emergency Response Telephone Numbers (Health, Fire, Police, D.E.P., Civil Defense, etc.) should a spill occur, shall be posted in clear view of all employees where Hazardous Materials or Wastes are used or stored.
5. All Hazardous Wastes must be disposed of by a Licensed, D.E.P. approved, hauler or be recycled on site.
6. Copies of either all invoices or manifests for any Hazardous Materials or Wastes, received or disposed, shall be submitted to the Board of Health annually.
7. All Hazardous Materials Containers shall be labeled and dated when filling first began.
8. Speedy Dry, or its equivalent, shall be kept in the storage area, in case of a Hazardous Materials or Wastes spill.
9. Floor cleaning procedures and bathroom sanitation products shall use only nontoxic and biodegradable cleaning compounds.
10. All floor drains shall be sealed or discharged into a closed system, with the waste disposed of by a D.E.P. approved Hazardous Waste Hauler.
11. Protective equipment, including chemical resistant gloves, eye goggles and (rubber) boots, in addition to soap and water, shall be made available to all employees, at all times, in any Hazardous Materials or Waste storage or use area.
12. No Hazardous Materials or Wastes shall be discharged into a sink or toilet.
14. A fire extinguisher, containing an appropriate fire extinguishing agent, shall be placed in the Hazardous Materials Storage area.

15. No food or drink shall be stored or consumed in any area where Hazardous Materials are stored or used.
16. Within thirty (30) days after issuance of this permit and prior to the next pumping of the septic tank, a sample shall be taken from the liquid layer of the septic tank and analyzed for volatile organic compounds by EPA Method 624. A sample shall be taken each time prior to pumping the septic tank. Each sample shall be analyzed by a DEP certified testing lab. The results of all tests shall be submitted to the Board of Health within thirty (30) days after testing. The septic tank shall be tested annually unless otherwise requested by the Board of Health.
25. Prior to any new chemical or processes being used, the Board of Health shall be notified.
26. The operation of this facility shall be in compliance with all present and future regulations of E.P.A. and D.E.P. at all times. Nothing in this permit allows or requires non-compliance with all present and future applicable laws or regulations of the Federal or State Governments.
35. All reports sent to D.E.P. or E.P.A., in regards to a waste site clean up, shall also be submitted to the Board of Health.
36. The on-site remediation shall use two stage charcoal filtration system prior to any discharge.
37. The remediation discharge shall meet, or exceed, the Acton Water District standards for drinking water at all times.
- Bacteriological testing for total, fecal, and standard plate count shall be conducted in the influent and effluent of the remediation system every six months.