

## Tests 76.605 (a) (3) & 76.605 (a) (5)

TEST POINT NUMBER: 7

LOCATION: Harris Rd

TEST PERIOD: Jan / Feb 2005

EIA CH	VIDEO LEVEL	pass FAIL	AUDIO LEVEL	V/A DIFF	pass FAIL	EIA CH	VIDEO LEVEL	pass FAIL	AUDIO LEVEL	V/A DIFF	pass FAIL
2	13.0	pass	-1.6	14.6	pass	38	15.6	pass	0.3	15.3	pass
3	13.0	pass	-2.2	15.2	pass	39	15.8	pass	0.4	15.4	pass
4	13.0	pass	-1.9	14.9	pass	40	15.7	pass	1.2	14.5	pass
1						41	15.9	pass	0.4	15.5	pass
5	13.6	pass	-0.3	13.9	pass	42	15.8	pass	0.4	15.4	pass
6	12.8	pass	-1.4	14.2	pass	43	15.7	pass	0.6	15.1	pass
95						44	15.5	pass	0.3	15.2	pass
96						45	15.8	pass	1.4	14.4	pass
97						46	15.6	pass	0.7	14.9	pass
98						47	16.0	pass	0.3	15.7	pass
99						48	16.7	pass	2.0	14.7	pass
14	11.6	pass	-2.8	14.4	pass	49	16.6	pass	1.5	15.1	pass
15	11.2	pass	-2.9	14.1	pass	50	17.0	pass	2.0	15.0	pass
16	11.4	pass	-2.2	13.6	pass	51	16.9	pass	1.2	15.7	pass
17	11.5	pass	-3.1	14.6	pass	52	17.0	pass	2.1	14.9	pass
18	12.5	pass	-1.0	13.5	pass	53	17.5	pass	2.2	15.3	pass
19	12.3	pass	-2.4	14.7	pass	54	17.0	pass	2.2	14.8	pass
20	12.5	pass	-1.7	14.2	pass	55	17.3	pass	1.2	16.1	pass
21	12.6	pass	-1.2	13.8	pass	56	18.5	pass	3.8	14.7	pass
22	15.2	pass	0.4	14.8	pass	57	16.7	pass	2.2	14.5	pass
7	13.0	pass	-1.1	14.1	pass	58	17.3	pass	1.5	15.8	pass
8	15.4	pass	2.9	12.5	pass	59	17.7	pass	2.8	14.9	pass
9	15.1	pass	1.2	13.9	pass	60	17.3	pass	2.0	15.3	pass
10	15.8	pass	2.8	13.0	pass	61	17.0	pass	1.1	15.9	pass
11	13.8	pass	-0.4	14.2	pass	62	17.1	pass	2.1	15.0	pass
12	14.4	pass	-0.9	15.3	pass	63	17.3	pass	2.6	14.7	pass
13	15.0	pass	0.2	14.8	pass	64	17.6	pass	1.6	16.0	pass
23	15.4	pass	0.2	15.2	pass	65	17.5	pass	-1.8	19.3	FAIL
24	14.3	pass	-0.3	14.6	pass	66	17.3	pass	2.5	14.8	pass
25	16.0	pass	0.8	15.2	pass	67	17.3	pass	2.3	15.0	pass
26	14.9	pass	0.2	14.7	pass	68	19.5	pass	3.9	15.6	pass
27	13.9	pass	-0.9	14.8	pass	69	18.1	pass	3.1	15.0	pass
28	15.7	pass	1.0	14.7	pass	70	19.5	pass	4.5	15.0	pass
29	16.2	pass	0.6	15.6	pass	71	19.7	pass	4.0	15.7	pass
30	16.0	pass	0.5	15.5	pass	72	19.5	pass	11.0	8.5	FAIL
31	16.4	pass	0.8	15.6	pass	73	-3.6	FAIL			
32	15.9	pass	1.3	14.6	pass	74					
33	16.1	pass	0.4	15.7	pass	75					
34	16.2	pass	1.0	15.2	pass	76					
35	16.0	pass	1.1	14.9	pass	77					
36	15.9	pass	1.0	14.9	pass	78	21.4	pass			
37	16.4	pass	1.2	15.2	pass	79					

## Tests 76.605 (a) (3) & 76.605 (a) (5)

TEST POINT NUMBER: 7

LOCATION: Harris Rd

TEST PERIOD: Jan / Feb 2005

EIA CH	VIDEO LEVEL	pass FAIL	AUDIO LEVEL	V/A DIFF	pass FAIL	EIA CH	VIDEO LEVEL	pass FAIL	AUDIO LEVEL	V/A DIFF	pass FAIL
80											
81											
82											
83											
84											
85											
86											
87											
88											
89											
90											
91											
92											
93											
94											
95											
96											
97											
98											
99											
100											
101											
102											
103											
104											
105											
106											
107											
108											
109											
110											
111											
112											
113											
114											
115											
116											
117	21.7	pass									
135											

## Tests 76.605 (a) (3) & 76.605 (a) (5)

TEST POINT NUMBER: 8

LOCATION: Harris St

TEST PERIOD: Jan / Feb 2005

EIA CH	VIDEO LEVEL	pass FAIL	AUDIO LEVEL	V/A DIFF	pass FAIL	EIA CH	VIDEO LEVEL	pass FAIL	AUDIO LEVEL	V/A DIFF	pass FAIL
2	20.1	pass	5.4	14.7	pass	38	19.8	pass	4.0	15.8	pass
3	19.9	pass	4.2	15.7	pass	39	19.2	pass	4.5	14.7	pass
4	20.3	pass	4.6	15.7	pass	40	19.6	pass	4.3	15.3	pass
1						41	19.0	pass	3.8	15.2	pass
5	19.8	pass	5.6	14.2	pass	42	19.1	pass	3.5	15.6	pass
6	19.8	pass	4.7	15.1	pass	43	19.2	pass	3.3	15.9	pass
95						44	19.4	pass	3.5	15.9	pass
96						45	18.6	pass	3.8	14.8	pass
97						46	18.5	pass	3.7	14.8	pass
98						47	17.8	pass	2.6	15.2	pass
99						48	19.2	pass	3.9	15.3	pass
14	17.8	pass	2.8	15.0	pass	49	18.6	pass	3.9	14.7	pass
15	18.2	pass	3.6	14.6	pass	50	19.4	pass	4.6	14.8	pass
16	17.6	pass	2.5	15.1	pass	51	18.9	pass	3.5	15.4	pass
17	15.1	pass	3.9	11.2	pass	52	19.2	pass	4.3	14.9	pass
18	18.0	pass	4.3	13.7	pass	53	19.1	pass	4.5	14.6	pass
19	18.4	pass	3.3	15.1	pass	54	19.5	pass	4.8	14.7	pass
20	18.4	pass	4.0	14.4	pass	55	19.3	pass	3.3	16.0	pass
21	19.2	pass	4.4	14.8	pass	56	20.3	pass	5.9	14.4	pass
22	20.7	pass	5.8	14.9	pass	57	18.9	pass	4.2	14.7	pass
7	19.1	pass	4.7	14.4	pass	58	18.6	pass	2.8	15.8	pass
8	20.8	pass	7.8	13.0	pass	59	19.4	pass	4.7	14.7	pass
9	20.6	pass	6.7	13.9	pass	60	18.8	pass	3.5	15.3	pass
10	20.9	pass	8.1	12.8	pass	61	18.9	pass	2.9	16.0	pass
11	19.0	pass	4.5	14.5	pass	62	18.9	pass	3.9	15.0	pass
12	19.4	pass	4.1	15.3	pass	63	19.3	pass	4.3	15.0	pass
13	19.9	pass	5.1	14.8	pass	64	18.8	pass	2.6	16.2	pass
23	20.0	pass	5.1	14.9	pass	65	19.0	pass	-0.4	19.4	FAIL
24	18.7	pass	4.1	14.6	pass	66	18.5	pass	3.9	14.6	pass
25	20.5	pass	4.9	15.6	pass	67	18.9	pass	3.8	15.1	pass
26	19.5	pass	4.5	15.0	pass	68	20.5	pass	4.7	15.8	pass
27	17.9	pass	4.0	13.9	pass	69	19.4	pass	4.3	15.1	pass
28	20.7	pass	5.7	15.0	pass	70	20.1	pass	4.9	15.2	pass
29	20.4	pass	4.8	15.6	pass	71	20.2	pass	5.1	15.1	pass
30	20.9	pass	4.8	16.1	pass	72	20.4	pass	11.4	9.0	FAIL
31	20.5	pass	4.9	15.6	pass	73	-3.6	FAIL			
32	20.3	pass	4.7	15.6	pass	74					
33	19.8	pass	4.7	15.1	pass	75					
34	19.5	pass	4.7	14.8	pass	76					
35	19.1	pass	4.7	14.4	pass	77					
36	19.6	pass	4.8	14.8	pass	78					
37	20.1	pass	5.3	14.8	pass	79					

## Tests 76.605 (a) (3) & 76.605 (a) (5)

TEST POINT NUMBER: 8

LOCATION: Harris St

TEST PERIOD: Jan / Feb 2005

EIA CH	VIDEO LEVEL	pass FAIL	AUDIO LEVEL	V/A DIFF	pass FAIL	EIA CH	VIDEO LEVEL	pass FAIL	AUDIO LEVEL	V/A DIFF	pass FAIL
80											
81											
82											
83											
84											
85											
86											
87											
88											
89											
90											
91											
92											
93											
94											
95											
96											
97											
98											
99											
100											
101											
102											
103											
104											
105											
106											
107											
108											
109											
110											
111											
112											
113											
114											
115											
116											
117	21.8	pass									
135											

## Tests 76.605 (a) (3) & 76.605 (a) (5)

TEST POINT NUMBER: 9

LOCATION: Wyndcliff Dr

TEST PERIOD: Jan / Feb 2005

EIA CH	VIDEO LEVEL	pass FAIL	AUDIO LEVEL	V/A DIFF	pass FAIL	EIA CH	VIDEO LEVEL	pass FAIL	AUDIO LEVEL	V/A DIFF	pass FAIL
2	14.1	pass	-0.9	15.0	pass	38	11.5	pass	-3.6	15.1	pass
3	13.9	pass	-2.0	15.9	pass	39	11.2	pass	-3.8	15.0	pass
4	13.5	pass	-2.4	15.9	pass	40	11.8	pass	-2.9	14.7	pass
1						41	11.5	pass	-3.4	14.9	pass
5	13.3	pass	-1.3	14.6	pass	42	11.6	pass	-3.8	15.4	pass
6	12.8	pass	-1.9	14.7	pass	43	11.1	pass	-3.6	14.7	pass
95						44	11.7	pass	-3.1	14.8	pass
96						45	11.0	pass	-3.2	14.2	pass
97						46	11.0	pass	-3.7	14.7	pass
98						47	10.7	pass	-4.5	15.2	pass
99						48	11.6	pass	-3.0	14.6	pass
14	10.7	pass	-3.7	14.4	pass	49	11.4	pass	-3.1	14.5	pass
15	10.5	pass	-3.2	13.7	pass	50	12.1	pass	-2.8	14.9	pass
16	10.8	pass	-4.0	14.8	pass	51	12.0	pass	-3.4	15.4	pass
17	7.3	pass	-4.3	11.6	pass	52	12.0	pass	-2.8	14.8	pass
18	10.3	pass	-2.7	13.0	pass	53	12.6	pass	-2.0	14.6	pass
19	10.8	pass	-3.6	14.4	pass	54	12.1	pass	-2.0	14.1	pass
20	10.8	pass	-3.5	14.3	pass	55	12.5	pass	-2.6	15.1	pass
21	11.4	pass	-3.3	14.7	pass	56	13.7	pass	-1.2	14.9	pass
22	13.0	pass	-1.8	14.8	pass	57	12.3	pass	-1.8	14.1	pass
7	11.2	pass	-3.0	14.2	pass	58	12.2	pass	-3.0	15.2	pass
8	12.5	pass	0.6	11.9	pass	59	13.1	pass	-1.2	14.3	pass
9	12.9	pass	-0.9	13.8	pass	60	12.6	pass	-2.3	14.9	pass
10	13.0	pass	0.1	12.9	pass	61	12.5	pass	-2.5	15.0	pass
11	11.1	pass	-3.1	14.2	pass	62	12.9	pass	-1.7	14.6	pass
12	11.3	pass	-3.6	14.9	pass	63	12.9	pass	-1.9	14.8	pass
13	12.0	pass	-2.1	14.1	pass	64	12.4	pass	-3.1	15.5	pass
23	12.1	pass	-2.7	14.8	pass	65	12.4	pass	-7.1	19.5	FAIL
24	10.9	pass	-3.9	14.8	pass	66	12.3	pass	-2.4	14.7	pass
25	12.5	pass	-2.6	15.1	pass	67	12.1	pass	-2.9	15.0	pass
26	11.8	pass	-3.2	15.0	pass	68	13.8	pass	-1.7	15.5	pass
27	10.3	pass	-4.7	15.0	pass	69	12.3	pass	-2.5	14.8	pass
28	12.1	pass	-2.9	15.0	pass	70	13.8	pass	-1.6	15.4	pass
29	12.2	pass	-3.6	15.8	pass	71	13.5	pass	-1.6	15.1	pass
30	11.8	pass	-3.4	15.2	pass	72	13.2	pass	5.0	8.2	FAIL
31	11.4	pass	-3.1	14.5	pass	73	-3.6	FAIL			
32	11.3	pass	-2.7	14.0	pass	74					
33	11.6	pass	-3.3	14.9	pass	75					
34	11.9	pass	-3.1	15.0	pass	76					
35	11.3	pass	-2.2	13.5	pass	77					
36	11.4	pass	-2.8	14.2	pass	78					
37	12.0	pass	-3.1	15.1	pass	79					

## Tests 76.605 (a) (3) & 76.605 (a) (5)

TEST POINT NUMBER: 9

LOCATION: Wyndcliff Dr

TEST PERIOD: Jan / Feb 2005

EIA CH	VIDEO LEVEL	pass FAIL	AUDIO LEVEL	V/A DIFF	pass FAIL	EIA CH	VIDEO LEVEL	pass FAIL	AUDIO LEVEL	V/A DIFF	pass FAIL
80											
81											
82											
83											
84											
85											
86											
87											
88											
89											
90											
91											
92											
93											
94											
95											
96											
97											
98											
99											
100											
101											
102											
103											
104											
105											
106											
107											
108											
109											
110											
111											
112											
113											
114											
115											
116											
117	14.4	pass									
135											

## 24 Hour Tests