

**HAZARDOUS MATERIALS CONTROL PERMIT CERTIFICATION**

I hereby certify on behalf of Global Companies, LLC, the applicant for a permit or permit renewal from the Acton Board of Health pursuant to Chapter I of the Town of Acton General By-laws (the "Permit Application") that (a) the information contained in the Permit Application is true, accurate and complete, and (b) the facility located/operating at 44 Great Rd, Acton, MA and that is the subject of the Permit Application complies with the requirements for Approval of Hazardous Material Waste and Special Waste Permits as defined in section 3.5 of Chapter I of the Town of Acton General By-laws, Hazardous Materials Control, as amended.



Authorized Signatory

Steven D. Charron

781-697-1253

5-10-11

Date

44 Great Road, Acton, MA

**A. Hazardous Material (Non-Waste) Inventory Information**

Complete the table below for all non-waste inventory. Use additional pages if necessary.

| Chemical/Common Name  | Max. Qty<br>(at any one time)            | Container Size<br>(single largest container) | Location(s)<br>(see section C) |
|---|--|--|--------------------------------|
| Automotive fluids in retail containers (oil, antifreeze, etc)<br><u>Area A on map</u> | 10-15 gal.<br>____ lbs.<br>____ cu. ft.  | 1 gal.<br>____ lbs.<br>____ ft.              | A on map                       |
| Gasoline in storage tanks<br><u>Area B on map</u>                                     | 24,000 gal.<br>____ lbs.<br>____ cu. ft. | 10,000 gal.<br>____ lbs.<br>____ cu. ft.     | B on map                       |
| Cleaning Supplies<br><u>Area C on map</u>   | 3-5 gal.<br>____ lbs.<br>____ cu. ft.    | 1 gal.<br>____ lbs.<br>____ cu. ft.          | C on map                       |
| Paint<br><u>Area C on map</u>   | 5-10 gal.<br>____ lbs.<br>____ cu. ft.   | 1 gal.<br>____ lbs.<br>____ cu. ft.          | C on map                       |
| De-icing salts <sup>for site use</sup><br><u>Area C on map</u>                        | 100 gal.<br>____ lbs.<br>____ cu. ft.    | 50 gal.<br>____ lbs.<br>____ cu. ft.         | C on map                       |
|   | ____ gal.<br>____ lbs.<br>____ cu. ft.   | ____ gal.<br>____ lbs.<br>____ cu. ft.       |                                |

**B. Hazardous Waste Inventory Information**

(Hazardous Waste Generator Permit Application/Amendment)

Complete the table below for all waste inventory. Use additional pages if needed.

| Name of Hazardous Waste           | Treatment/Disposal Method(s)<br>(Definitions provided on bottom of page)   | Max. Qty.<br>(at any one time)                       | Annual Qty.<br>Generated               | Location(s)<br>(see Section C) |
|-----------------------------------|--|--|--|--------------------------------|
| Spent Absorbents for minor spills | <input type="checkbox"/> Recycled on-site.<br><input type="checkbox"/> Treated on-site.<br><input checked="" type="checkbox"/> Shipped off-site for recycling/treatment/disposal | ~200 gal.<br>lbs.*<br>____ cu. ft.<br>*drum capacity | <50 gal.<br>lbs.<br>____ cu. ft.       | D on map                       |
| *                                 | <input type="checkbox"/> Recycled on-site.<br><input type="checkbox"/> Treated on-site.<br><input type="checkbox"/> Shipped off-site for recycling/treatment/disposal            | ____ gal.<br>____ lbs.<br>____ cu. ft.               | ____ gal.<br>____ lbs.<br>____ cu. ft. | D on map                       |
| **                                | <input type="checkbox"/> Recycled on-site.<br><input type="checkbox"/> Treated on-site.<br><input type="checkbox"/> Shipped off-site for recycling/treatment/disposal            | ____ gal.<br>____ lbs.<br>____ cu. ft.               | ____ gal.<br>____ lbs.<br>____ cu. ft. | E on map                       |
|                                   | <input type="checkbox"/> Recycled on-site.<br><input type="checkbox"/> Treated on-site.<br><input type="checkbox"/> Shipped off-site for recycling/treatment/disposal            | ____ gal.<br>____ lbs.<br>____ cu. ft.               | ____ gal.<br>____ lbs.<br>____ cu. ft. |                                |
|                                   | <input type="checkbox"/> Recycled on-site.<br><input type="checkbox"/> Treated on-site.<br><input type="checkbox"/> Shipped off-site for recycling/treatment/disposal            | ____ gal.<br>____ lbs.<br>____ cu. ft.               | ____ gal.<br>____ lbs.<br>____ cu. ft. |                                |


\* drum on-site for waste oil collection, but no accumulation ongoing (required by state law to be present)  
 \*\* drum on-site for gas/water collection from VST sumps, but not a hazardous waste per 310 CMR 30.000.

### C. Facility Site Plan/Storage Map

Prepare and submit with this Registration Form a simple site map which shows the following information:

- North direction • Street(s) adjacent to facility • Electrical, water, and gas shutoff valves
- Basic floor plan for each building containing hazardous materials/wastes which indicates building entrance(s) and hazardous material/waste storage locations (use grid locations or assign a code - A, B, C, etc. - to clearly identify each storage location for use in the above inventories).

Site Address: Mobil Station 1476, 44 Great Rd City: Acton  
 Date Map Drawn: 5-5-11



### D. Endorsement

I declare that the above information is true and correct to the best of my knowledge. I agree to comply with all applicable regulations regarding storage, handling, and disposal of hazardous materials and hazardous wastes.

Steven Charron  
 Owner/Operator's Name (Print)

[Signature]  
 Owner/Operator's Signature

5-10-11  
 Date

----- Do Not Complete below This Line -----

TOWN OF ACTON  
HAZARDOUS MATERIALS CONTROL BYLAW

RECEIVED

APR 15 2011

April 1, 2011  
East Acton Mobil  
c/o Verc Ent. P O Box 2809  
Duxbury, MA 02331

Due: \$235

Category: 8,...

ACTON BOARD OF HEALTH

Site Address

44 Great Road Acton, MA 01720

HAZARDOUS MATERIALS CONTROL PERMIT RENEWAL APPLICATION

Categories

- |  |  |
|--|--|
| 1. Hazardous Waste Generator (\$65)        | 2. Sm. Hazardous Waste Generator (\$45)    |
| 3. Hazardous Materials Generator (\$65)    | 4. Hazardous Materials User (\$45)         |
| 5. Discharge Permit (\$140)                | 6. Remediation Permit (\$140)              |
| 7. Hazardous Waste User (\$65)             | 8. Haz. Mat. Storer Large Industry (\$235) |
| 9. Haz. Mat. Storer Small Industry (\$160) | 10. Haz. Mat. Storer Large Retail (\$170)  |
| 11. Haz. Mat. Storer Small Retail (\$140)  | 12. Haz. Waste Storer Sm. Industry (\$45)  |
| 13. Haz. Waste Storer Retail (\$45)        | 14. Haz Waste Storer Lge. Industry (\$65)  |

Provide the following information under the authority of the General Laws of the Commonwealth of Massachusetts, Chapter 94, Section 305A, and Chapter 3, Section 5.

ESTABLISHMENT NAME: Verc East Acton Mobil  
ESTABLISHMENT ADDRESS: 44 Great Rd. Acton, MA 01720  
E-MAIL ADDRESS: veastacton@vercenterprises.com  
ESTABLISHMENT TELEPHONE: 978-369-6281  
OWNERS/CORPORATE OFFICERS: Leo Vercollone, Pres  
ADDRESS: P.O. Box 2809 Duxbury, MA 02331  
TELEPHONE: 781 934-7300  
ON-SITE MANAGER: Scott Smith

|   |
|---|
| Maximum Potential Quantity of Materials: Gals/Lbs Stored _____ Used _____ |
| Maximum Potential Quantity of Wastes: Gals/Lbs Stored _____ Used _____    |

Pursuant to the General Laws of Massachusetts, Chapter 62C, Section 49A, I certify under the pains and penalties of perjury that I, to the best of my knowledge and belief, have filed all state tax returns and paid all state taxes required under law.

Leo Vercollone  
Signature of Owner/Applicant

04-2770974  
F.I.N. Number

4/11/11  
Date

5/1/2011

Expires 5/1/12  
Paid: \$235

**TOWN OF ACTON  
PERMIT  
HAZARDOUS MATERIALS CONTROL BYLAW  
East Acton Mobil,  
c/o Verc Ent. P O Box 2809 Duxbury, MA 02331**

Is hereby granted a permit to store and use Hazardous Materials at **44 Great Road** Acton, MA 01720. This permit is granted with the conditions as noted on the attached list of conditions assigned to your facility.

Permit Categories: **8,,,**

\*See below explanation of permit categories

**HAZARDOUS MATERIALS CONTROL PERMIT CATEGORIES AND FEES**

| <u>Category</u>                              | <u>Initial</u> | <u>Renewal</u> |
|--|----------------|----------------|
| 1. Large Hazardous Waste Generator           | \$160          | \$65           |
| 2. Small Hazardous Waste Generator           | \$60           | \$45           |
| 3. Hazardous Materials Generator             | \$160          | \$65           |
| 4. Hazardous Materials User                  | \$50           | \$45           |
| 5. Remediation Discharge Permit              | \$575          | \$140          |
| 6. Remediation Permit                        | \$595          | \$140          |
| 7. Hazardous Waste User                      | \$160          | \$65           |
| 8. Hazardous Materials Storer Large Industry | \$510          | \$235          |
| 9. Hazardous Materials Storer Small Industry | \$360          | \$160          |
| 10. Hazardous Materials Storer Large Retail  | \$430          | \$140          |
| 11. Hazardous Materials Storer Small Retail  | \$305          | \$160          |
| 12. Hazardous Waste Storer Small Industry    | \$160          | \$65           |
| 13. Hazardous Waste Storer Retail            | \$60           | \$45           |
| 14. Hazardous Waste Storer Large Industry    | \$160          | \$65           |

## HAZARDOUS MATERIALS CONTROL PERMIT

**List of Conditions:  
East Acton Mobil  
44 Great Road  
Acton, MA 01720**

Pursuant to the authority of Chapter I - Hazardous Materials Control Bylaw - of the Town of Acton's General Bylaws, the Board of Health has considered your application and plans submitted therewith, and has determined that the materials to be stored, used or generated, are within the scope of said bylaw. The Board of Health hereby orders that the following conditions are necessary and all storage, use or generation must be performed in strict conformance herewith:

1. All liquid Hazardous Materials and Wastes shall be stored in a containment area capable of containing 110% of the largest volume stored in the containment area.
2. All Materials Safety Data Sheets (MSDSs) for the Hazardous Materials shall be maintained on site. MSDSs shall be reviewed with employees at the time of their employment and on an annual basis thereafter. MSDSs must be made available to all employees upon request.
3. A Contingency Plan, including emergency contact numbers (telephone numbers of owner, operator, etc.) and a sketch showing clearly all Hazardous Material and Waste locations shall be submitted and updated annually, to the Board of Health, Fire Department, Police Department, and Civil Defense.
4. Emergency procedures and local Emergency Response Telephone Numbers (Health, Fire, Police, D.E.P., Civil Defense, etc.) should a spill occur, shall be posted in clear view of all employees where Hazardous Materials or Wastes are used or stored.
5. All Hazardous Wastes must be disposed of by a Licensed, D.E.P. approved, hauler or be recycled on site.
6. Speedy Dry, or its equivalent, shall be kept in the storage area, in case of a Hazardous Materials or Wastes spill.
7. Floor cleaning procedures and bathroom sanitation products shall use only nontoxic and biodegradable cleaning compounds.
8. Protective equipment, including chemical resistant gloves, eye goggles and (rubber) boots, in addition to soap and water, shall be made available to all employees, at all times, in any Hazardous Materials or Waste storage or use area.
9. No Hazardous Materials or Wastes shall be discharged into a sink or toilet.
10. A fire extinguisher, containing an appropriate fire extinguishing agent, shall be placed in the Hazardous Materials Storage area.
11. No food or drink shall be stored or consumed in any area where Hazardous Materials are stored or used.
12. Prior to any new chemical or processes being used, the Board of Health shall be notified.
13. The operation of this facility shall be in compliance with all present and future regulations of E.P.A. and D.E.P. at all times. Nothing in this permit allows or requires non-compliance with all present and future applicable laws or regulations of the Federal or State Governments.

14. All reports sent to D.E.P. or E.P.A., in regards to the waste site cleanup, shall also be submitted to the Board of Health.
15. The remediation discharge shall meet, or exceed, the Acton Water District standards for drinking water, at all times.