



Drawing name: P:\Drawings\Duggan Road Drainage\Proposed Conditions.dwg  
 Jul 14, 2014 9:54am




SURVEY: PVC/QRP	TOWN OF ACTON ENGINEERING DEPARTMENT	
DESIGN: PVC	DUGGAN ROAD DRAINAGE SYSTEM	
DRAFTING: PVC		
CHECKED: CY	PROPOSED DRAINAGE	
SCALE: 1" = 5'	DRAWING NO: 1	DATE: 12/17/2013




CONSTRUCTION SEQUENCE

1. PLACE STRAW WATTLES ALONG EDGE OF WETLANDS
2. PLACE CONSTRUCTION ENTRANCE
3. CLEAR VEGETATION WITHIN EASEMENT AREA
4. REMOVE HEADWALL AT OUTLET. PLACE STRAW WATTLES ALONG EDGE OF WETLAND
5. REPLACE 18" CMP PIPE WITH 24" PIPE. ROUGHEN SURFACE IN EASEMENT AREA DAILY.
6. REMOVE DRAIN SWALE ON 28 DUGGAN ROAD
7. SEED AREA OF DISTURBANCE, REMOVE CONSTRUCTION ENTRANCE



SURVEY: PVC/QRP	TOWN OF ACTON ENGINEERING DEPARTMENT	
DESIGN: PVC	DUGGAN ROAD DRAINAGE SYSTEM	
DRAFTING: PVC		
CHECKED: CY	PROPOSED DRAINAGE	
SCALE: 1" = 5'	DRAWING NO: 2	DATE: 12/17/2013



Drawing name: P:\Drawings\Duggan Road\Drawings\Proposed Conditions.dwg  
Jul 25, 2014 - 15:40pm